PASSENGER CAR, SUV AND LIGHT TRUCK

PRODUCT GUIDE | SUMMER 2022

TABLE OF CONTENTS

R&D Centre Europe	3
SUMMER Tyre RANGE	4
Corporate Social Responsibilities	6
PCR & SUV	
SPORTACTIVE 2 & SUV – The new UHP tyre for sport cars and powerful SUV.	8
FE2 & SUV– New High Performance tyre for passenger cars and compact SUV	12
FE1 CITY – Inner-city mobility and convincing handling properties	16
CHAMPIRO FE1 – All-round premium comfort	18
SPORTACTIVE – Ultra-high performance tyre	20
SPORTACTIVE SUV – Ultra-high performance tyre	22
SAVERO SUV – For modern SUV and CUV type cars	24
4SEASONS & SUV– For every weather condition in all seasons	26
TRANSPORTER	
MAXMILER PRO – Premium mileage	28
KARGOMAX – Trailers & caravans	30
MAXMILER ALLSEASON – All season tyre for light truck commercial operations	32
PATTERN OVERVIEW	34

Reasons for GT Radial:

- **ENGINEERED IN GERMANY**
- ESTABLISHED **WORLDWIDE** FOR OVER 25 YEARS
- TESTED BY **TÜV SÜD**
- EXCELLENT **VALUE OF MONEY**

German Engineering

GLOBAL R&D CENTRES



Location:

- R&D Centre in China
- R&D Centre in Indonesia
- R&D Centre in Akron, USA
- R&D Europe Testing Centre in Mira, UK
- R&D Centre Europe in Hanover, Germany

Apart from conducting our own research and development, we also collaborate with leading universities and research institutes around the world.

● Offices / Representation Offices

SUMMER TYRE RANGE

NEW

SPORTACTIVE 2 & SUV

NEW

FE2 & SUV

PCR

SPORTACTIVE

CHAMPIRO FE1

FE1 CITY

4SEASONS

SUV

SPORTACTIVE SUV

SAVERO SUV

4SEASONS SUV

TRANSPORTER

MAXMILER PRO

KARGOMAX

MAXMILER ALLSEASON

CORPORATE SOCIAL RESPONSIBILITIES

MISSION & COMMITMENT

Giti Tire endorses the United Nations Sustainable Development Goals (SDGs) and incorporates them into each CSR activity. These goals cover a broad range of social and economic development issues. Included among them are poverty, hunger, health, education, climate change, gender equality, water sanitation, energy, environment, and social justice.

GREEN & EFFICIENT PRODUCTION

International Organization for Standardization ISO 45001

QUALITY ASSURED FIRM OHSAS 18001

QUALITY MANAGEMENT SYSTEM IATF 16949

4R CIRCULAR ECONOMY

REDUCE
Thanks to our design approach, our tires are lighter, consume less energy and last longer.

RENEW
We use eco_design materials from renewable resources.

REUSE
Our tires are repairable, re-groovable, retreadable.

RECYCLE
We incorporate recycled materials into our new tires.

UNGC MEMBERSHIP

As part of the United Nations, the UNGC is a highly respected and important global business agreement, that requires a CEO and company commitment to adhering to the Ten Principles of the United Nations, including human rights, labor, environment, and anti-corruption. Giti is proud to join this exclusive and important compact in 2021, and continue to grow with it through an annual Communication on Progress, as well as other commitments.

Further details about the United Nations Global Compact can be seen on their website here

GPSNR MEMBERSHIP

Giti Tire is proud to be a member of GPSNR (Global Platform for Sustainable Natural Rubber), a leading global organization dedicated to maintaining a fair, equitable, and environmentally sound natural rubber value chain. As tires directly relate to the environment, a focus on improving the process of rubber creation, procurement, and supply is very important to reducing societal impact and creating positive offsetting solutions for the industry.

You can learn more about Giti's environmental and other sustainable efforts at

1 **Green Energy**
Giti utilizes alternative and clean energy methods, including solar panels to generate green electricity

2 **Water Recycling**
Continued recycling of water usage at Giti's plants has improved local environments

3 **Flue-Gas Desulfurization (FGD)**
The desulfurization efficiency rate now exceeds 95%, reducing 190 tons since the previous year

4 **Green Certifications**
Giti's plants throughout the world have received environmental management certification and passed clean production audits.

NEW

SPORTACTIVE 2 & SUV

THE NEW UHP TYRE FOR SPORT CARS AND POWERFUL SUV

FEATURES & BENEFITS

- Balanced, stiff shoulders for **precise steering and immediate response**
- Innovative new tread compound for extremely **short braking distances** – Wet label A
- Strong center section for **high speed stability** and dry braking
- **Micro sipes** provide suction effect for **enhanced grip**
- 3 Wide grooves and an additional groove on the outer section **for exceptional water drainage** (5 grooves for >265mm)
- **Optimized pattern block** geometry & sequence for low noise and smooth riding



“The **SPORTACTIVE 2** is a **pure UHP tyre designed** to satisfy the needs of the most demanding drivers. Exceptional grip, short braking distances in wet conditions, are among the key features of this product.”

AQUAPLANING SPEED
[km/h]

GT RADIAL SPORTACTIVE 2	**82,3 m**
KUMHO ECSTA PS71	80,7 m
NEXEN N’FERA SPORT (SU2)	79,6 m

DRY HANDLING PERFORMANCE
[%]

GT RADIAL SPORTACTIVE 2	**100,0 %**
KUMHO ECSTA PS71	98,6 %
TOYO PROXES SPORT	95,9 %

Tests carried out by TÜV Süd on the request of Giti Tire in April-May 2021 at the facilities ATP Papenburg (Germany) for dry and and wet tests with VW Golf, on tyre size 235/35 R 19. GT Radial SportActive 2 compared to the performance of main competitors in the same segment: Toyo Proxes Sport, Nexen N’fera Sport (SU2) and Kumho Ecsta PS71. Annex Report No. 713209213-BM.

16–21 Inch

Speed Rating: V–Y

35–55 Series

More information about the new GT RADIAL tyre?
Please scan QR-Code:

SPORTACTIVE 2

RIM	EU SIZE	LI		XL					EPREL
16	195/45R16	84	V	XL	D	A	A	69	1066030
16	205/45R16	87	W	XL	D	A	A	69	898358
16	215/45R16	90	V	XL	D	A	A	69	1066032
17	205/45R17	88	W	XL	D	A	A	69	1066031
17	205/40R17	84	W	XL	D	A	A	69	898357
17	215/45R17	91	W	XL	D	A	A	69	1066033
17	215/40R17	87	W	XL	D	A	A	69	898359
17	225/45R17	94	Y	XL	D	A	A	69	898361
17	235/45R17	97	Y	XL	C	A	A	69	1066038
17	245/45R17	99	W	XL	C	A	A	69	1066042
18	225/45R18	95	Y	XL	D	A	A	69	898362
18	225/40R18	92	Y	XL	D	A	A	69	898360
18	235/45R18	98	W	XL	C	A	A	69	898365
18	235/40R18	95	Y	XL	D	A	A	69	1066037
18	245/45R18	100	Y	XL	C	A	A	69	898368
18	245/40R18	97	Y	XL	C	A	A	69	1066048
18	255/45R18	103	W	XL	C	A	A	69	1066050
18	255/35R18	94	Y	XL	D	A	A	69	1066045
19	225/45R19	96	Y	XL	C	A	A	69	1066036
19	225/40R19	93	Y	XL	C	A	A	69	1066035
19	225/35R19	88	Y	XL	D	A	A	69	1066034
19	235/45R19	99	Y	XL	C	A	A	69	1066039
19	235/40R19	96	Y	XL	D	A	A	69	898364
19	235/35R19	91	Y	XL	D	A	A	69	898363
19	245/45R19	102	Y	XL	C	A	A	69	1066043
19	245/40R19	98	Y	XL	C	A	A	69	1066041
19	245/35R19	93	Y	XL	D	A	A	69	898367
19	255/40R19	100	Y	XL	C	A	A	69	1066049
19	255/35R19	96	Y	XL	C	A	A	69	1066046
19	275/40R19	105	Y	XL	B	A	A	69	1066055
20	245/45R20	103	Y	XL	C	A	A	69	1066044
20	245/35R20	95	Y	XL	D	A	A	69	1066040
20	255/35R20	97	Y	XL	C	A	A	69	1066047

SPORTACTIVE 2 SUV

RIM	EU SIZE	LI		XL					EPREL
18	255/55R18	109	Y	XL	C	A	A	69	1066052
19	255/55R19	111	Y	XL	B	A	A	69	1066053
19	255/50R19	107	Y	XL	B	A	A	69	1066051
19	235/55R19	105	W	XL	B	A	A	69	898366
20	255/45R20	105	W	XL	B	A	A	70	898369
20	265/45R20	104	Y	-	C	A	A	69	1066054
20	275/45R20	110	Y	XL	B	A	A	69	1066056
20	275/40R20	106	Y	XL	B	A	A	70	898370
21	295/35R21	107	Y	XL	B	A	A	69	1066057

LI Load Capacity Speed Rating **XL** Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

NEW

FE2 & SUV

NEW HIGH PERFORMANCE TYRE FOR PASSENGER CARS AND COMPACT SUV

FEATURES & BENEFITS

- Innovative **new tread compound** for extremely short braking distances – Wet label A
- Great driving **comfort** and **precise handling**
- Improved rolling resistance for **lower emissions** and fuel savings
- 4 Wide grooves for **exceptional water drainage** (3 grooves for sections <195)
- Advance tyre profile **with optimal pressure distribution.** Excellent mileage and even wear



“The GT Radial **FE2** is a genuine HP tyre **designed with the needs of European car drivers** at heart. It is a perfect match to medium size and executive European saloons. Safety on wet, long lasting mileage, quite smooth drive, superb fuel efficiency and great comfort are among the best features of this product.”

BRAKING DISTANCE ON WET ROAD SURFACE
80 — 20 km/h, in meters

GT RADIAL FE2	**27,8 m**
KUMHO ECSTA HS51	29,1 m
NEXEN N’FERA PRIMUS	30 m

BRAKING DISTANCE ON DRY ROAD
100 — 0 km/h, in meters

GT RADIAL FE2	**35,1 m**
KUMHO ECSTA HS51	35,8 m
NEXEN N’FERA PRIMUS	36,0 m

Tests carried out by TÜV Süd on the request of Giti Tire in April-May 2021 at the facilities ATP Papenburg (Germany) for dry and and wet tests with VW Golf, on tyre size 205/50R17. GT Radial FE2 compared to the performance main competitors in the same segment: Nexen N’fera Primus and Kumho Ecsta HS51. Annex Report No. 713209213-BM.

14–18 Inch

Speed Rating: T–Y

50–70 Series

More information about the new GT RADIAL tyre?
Please scan QR-Code:

FE2

RIM	EU SIZE	LI		XL					EPREL
14	165/70R14	81	T	-	D	A	B	69	981259
14	175/65R14	82	T	-	D	A	B	69	981260
14	185/60R14	82	H	-	D	A	B	69	981265
15	175/65R15	84	T	-	D	A	B	69	981261
15	175/65R15	88	H	XL	C	A	B	70	981262
15	185/65R15	88	T	-	C	A	B	69	898371
15	185/65R15	88	H	-	C	A	B	69	898356
15	185/60R15	88	H	XL	C	A	B	69	898340
15	185/55R15	82	H	-	D	A	B	69	981263
15	185/55R15	82	V	-	D	A	B	69	981264
15	195/65R15	91	H	-	C	A	B	69	898378
15	195/65R15	91	V	-	C	A	B	69	981273
15	195/65R15	95	H	XL	C	A	A	69	898341
15	195/60R15	88	H	-	C	A	B	69	981271
15	195/60R15	88	V	-	C	A	B	69	981272
15	195/55R15	85	H	-	D	A	B	69	981267
15	195/55R15	85	V	-	D	A	B	69	981268
15	195/50R15	82	V	-	D	A	B	69	981266
16	195/55R16	87	H	-	C	A	B	69	981269
16	195/55R16	91	V	XL	C	A	B	70	981270
16	205/60R16	92	H	-	C	A	B	69	981275
16	205/60R16	96	V	XL	B	A	B	70	981276
16	205/55R16	91	H	-	C	A	B	69	898379
16	205/55R16	91	V	-	C	A	B	69	898343
16	205/55R16	91	W	-	C	A	B	69	981274
16	215/60R16	99	V	XL	C	A	B	70	981280
16	215/55R16	97	W	XL	B	A	B	70	981278
16	225/55R16	99	W	XL	C	A	B	70	981281
17	205/55R17	95	W	XL	C	A	A	69	898344
17	205/50R17	93	W	XL	C	A	A	69	898342
17	215/50R17	95	W	XL	C	A	B	70	981277
17	225/55R17	101	Y	XL	C	A	A	69	898350
17	225/50R17	98	Y	XL	C	A	A	69	898348

FE2 SUV

RIM	EU SIZE	LI		XL					EPREL
16	215/65R16	98	H	-	C	A	B	69	898346
17	215/65R17	99	V	-	C	A	B	69	898347
17	215/60R17	96	H	-	C	A	B	69	898345
17	215/55R17	94	W	-	C	A	B	69	898380
17	225/65R17	102	V	-	C	A	B	69	898351
17	225/60R17	99	V	-	C	A	B	69	981283
17	235/65R17	108	V	XL	B	A	A	69	898355
17	235/55R17	99	V	-	C	A	B	69	898353
18	215/55R18	99	V	XL	C	A	B	70	981279
18	225/60R18	100	V	-	C	A	B	69	981284
18	225/55R18	98	V	-	C	A	B	69	981282
18	225/50R18	99	W	XL	C	A	A	69	898349
18	235/60R18	107	W	XL	B	A	A	69	898354
18	235/55R18	104	V	XL	B	A	B	70	981285
18	235/50R18	97	V	-	C	A	B	69	898352

LI Load Capacity Speed Rating **XL** Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

FE1 CITY

INNER-CITY MOBILITY AND CONVINCING HANDLING PROPERTIES

FE1 CITY

RIM	EU SIZE	LI		XL					EPREL
13	145/80R13	79	T	XL	D	B	B	71	898273
13	155/80R13	83	T	XL	D	B	B	71	898274
13	165/80R13	83	T	-	D	B	B	69	898275
14	155/65R14	79	T	XL	D	B	B	71	898282
14	165/70R14	81	T	-	D	B	B	69	898277
14	165/65R14	83	T	XL	D	B	B	71	898276
14	175/70R14	88	T	XL	D	B	B	71	898279
14	175/65R14	82	T	-	D	B	B	69	898278
14	185/70R14	88	H	-	D	B	B	69	898283
14	185/65R14	86	H	-	D	B	B	69	898281
14	185/60R14	82	H	-	D	B	B	69	898280
14	195/70R14	91	H	-	D	B	B	69	898284
15	155/60R15	78	T	XL	D	B	B	71	898285
15	165/65R15	85	T	XL	D	B	B	71	898286
15	175/55R15	81	T	XL	D	B	B	71	898287
16	185/55R16	87	V	XL	D	B	B	71	898272

LI Load Capacity Speed Rating **XL** Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

"Urban summer tyre with outstanding performance and **excellent driving characteristics,** especially for city cars"

FEATURES & BENEFITS

A tread compound adapted to urban operations

- Excellent **mileage** and **reliable grip in wet conditions**

Optimized carcass construction

- **Weight reduction** and **optimized pressure distribution** for a long service life

New profile design

- **Shorter braking distance** in wet and dry conditions

13–16 Inch

Speed Rating: T–V

55–80 Series

CHAMPIRO FE1

ALL-ROUND PREMIUM COMFORT

CHAMPIRO FE1

RIM	EU SIZE	LI		XL					EPREL
15	175/65R15	84	T	-	C	B	B	70	898132
15	185/65R15	92	T	XL	C	B	B	71	898271
15	185/55R15	82	H	-	C	B	B	70	898127
15	185/55R15	82	V	-	C	B	B	70	898025
15	195/65R15	91	V	-	C	B	B	70	898014
15	195/60R15	88	H	-	C	B	B	70	898012
15	195/60R15	88	V	-	C	B	B	70	898026
15	195/55R15	85	H	-	C	B	B	70	898126
15	195/55R15	85	V	-	C	B	B	70	898010
15	195/50R15	82	H	-	C	B	B	70	898128
15	195/50R15	82	V	-	C	B	B	70	898009
15	205/65R15	94	V	-	C	B	B	70	898019
15	205/60R15	91	V	-	C	B	B	70	898017
16	195/55R16	87	H	-	C	B	B	70	898124
16	195/55R16	87	V	-	C	B	B	70	898129
16	195/55R16	91	V	XL	B	B	B	71	898011
16	195/50R16	88	V	XL	C	B	B	71	898028
16	205/60R16	96	H	XL	C	B	B	71	898018
16	205/60R16	96	V	XL	C	B	B	71	898027
16	205/55R16	94	V	XL	B	B	B	71	898016
16	205/55ZR16	94	W	XL	C	B	B	71	898029
16	215/60R16	99	V	XL	B	B	B	72	898021
16	215/55R16	93	V	-	C	B	B	71	898121
16	215/55ZR16	97	W	XL	C	B	B	72	898020
16	225/55ZR16	99	W	XL	C	B	B	72	898023
17	215/55ZR17	94	W	-	C	B	B	70	898032
17	215/55ZR17	98	W	XL	C	B	B	71	898123
17	215/50ZR17	95	W	XL	C	B	B	71	898031
17	225/50R17	98	V	XL	C	B	B	72	898130

LI Load Capacity Speed Rating **XL** Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

"The Champiro FE1 combines **quiet, comfortable driving** behavior and ideal handling with outstanding **performance and fuel economy.**"

FEATURES & BENEFITS

Wide circumferential profile grooves
- Excellent **driving performance** in **wet conditions**

Innovative profile design
- **Smooth** and **comfortable** driving characteristics

Offset arrangement of profile blocks
- **Reduced noise** during driving

15–17 Inch

Speed Rating: T–W

50–65 Series

SPORTACTIVE

ULTRA-HIGH PERFORMANCE TYRE

SPORTACTIVE

RIM	EU SIZE	LI		XL					EPREL
16	195/45R16	84	V	XL	C	B	B	72	898063
16	215/45R16	90	V	XL	C	B	B	72	898207
17	205/45R17	88	V	XL	C	B	B	72	898210
17	205/45R17	88	W	XL	C	B	B	72	898065
17	215/50R17	95	Y	XL	C	B	B	72	898208
17	215/45R17	91	W	XL	C	B	B	72	898066
17	225/50R17	98	W	XL	C	B	B	72	898047
17	235/45R17	97	W	XL	C	B	B	72	898038
17	235/45R17	97	Y	XL	C	B	B	72	898209
17	245/45R17	99	W	XL	C	B	B	72	898040
17	245/40R17	91	Y	-	C	B	B	71	898074
17	255/40R17	98	Y	XL	C	B	B	72	898103
18	225/40R18	92	Y	XL	C	B	B	72	898037
18	235/40R18	95	W	XL	C	B	B	72	898067
18	235/40R18	95	Y	XL	C	B	B	72	898107
18	245/40R18	97	Y	XL	C	B	B	72	898075
18	255/45R18	103	W	XL	B	B	B	72	898078
18	255/35R18	94	Y	XL	C	B	B	72	898076
18	265/35R18	97	Y	XL	C	B	B	72	898079
19	225/45R19	96	W	XL	C	B	B	72	898071
19	225/40R19	93	Y	XL	C	B	B	72	898070
19	225/35R19	88	Y	XL	C	B	B	72	898102
19	255/40R19	100	Y	XL	C	B	B	72	898104
19	255/35R19	96	Y	XL	C	B	B	72	898077

LI Load Capacity Speed Rating **XL** Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

"The Sportactive has been specially developed **for high-performance premium vehicles** and offers outstanding traction and instantly responds to steering inputs. It provides **maximum control** in wet and dry conditions."

FEATURES & BENEFITS

New, innovative profile

- **Very good handling** and **outstanding high-speed grip**

Special design with wide profile grooves and slats

- **Reduced risk of aquaplaning** as well as **outstanding braking characteristics** in wet and dry conditions

Increased block stiffness

- Ideal **handling** and **cornering characteristics**

16–19 Inch

Speed Rating: V–Y

35–50 Series

SPORTACTIVE SUV

ULTRA-HIGH PERFORMANCE SUV TYRE

SPORTACTIVE SUV

RIM	EU SIZE	LI		XL					EPREL
18	225/55R18	98	V	-	C	B	B	72	898110
18	255/55R18	109	W	XL	B	B	B	72	898105
19	255/55R19	111	V	XL	B	B	B	72	898115
19	255/50R19	107	W	XL	B	B	B	72	898114

LI Load Capacity Speed Rating **XL** Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

"GT Radial's premium SUV tyre provides **shorter braking distances** in wet and dry conditions, improved fuel **economy and lower rolling resistance,** combined with improved grip and stability at high speed."

FEATURES & BENEFITS

Latest tread compound
- Shorter **braking distance** in wet and dry conditions

Wide tread grooves
- Reduced **risk of aquaplaning** and **strong grip** in wet conditions

Special block design
- Increased **block stiffness** for **optimum cornering** and **direct steering response**

18–19 Inch

Speed Rating: V–W

50–55 Series

SAVERO SUV

FOR MODERN SUV AND CUV TYPE CARS

SAVERO SUV

RIM	EU SIZE	LI		XL					EPREL
16	215/70R16	100	H	-	D	C	70	B	898589
16	215/65R16	98	H	-	D	C	70	B	898592
16	215/60R16	95	H	-	D	C	70	B	898593
16	225/70R16	103	H	-	D	C	70	B	898590
16	235/70R16	106	H	-	D	C	70	B	898591
16	235/60R16	100	H	-	D	C	70	B	898594
16	245/70R16	111	H	XL	C	C	72	B	898577
16	265/70R16	112	H	-	C	C	72	B	898578
17	215/60R17	96	H	-	C	C	70	B	898582
17	215/55R17	94	V	-	D	C	70	B	898597
17	225/65R17	102	H	-	C	C	70	B	898579
17	225/60R17	99	H	-	D	C	70	B	898596
17	235/65R17	108	V	XL	D	C	70	B	898595
17	235/55R17	99	V	-	D	C	70	B	898598
17	245/65R17	111	H	XL	C	C	72	B	898580
17	255/60R17	106	V	-	C	C	72	B	898583
17	265/65R17	112	H	-	C	C	72	B	898581
18	215/55R18	99	V	XL	D	C	70	B	898601
18	225/65R18	103	H	-	D	C	70	B	898599
18	225/60R18	100	H	-	D	C	70	B	898600
18	235/60R18	107	V	XL	C	C	70	B	898584
18	235/55R18	100	V	-	D	C	70	B	898602
18	265/60R18	110	H	-	C	C	72	B	898585

LI Load Capacity Speed Rating **XL** Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

Asymmetrical Handling Summer SUV Wet Handling

"Savero SUV is a **high performance summer tyre** that combines outstanding **driving comfort** with **balanced performance** in wet and dry conditions."

FEATURES & BENEFITS

Solid shoulder blocks

- High **cornering stability** and traction as well as excellent **braking and steering characteristics**

Optimized slat arrangement

- **Reduced rolling noise** due to small profile blocks with transverse blades

Wide circumferential profile grooves

- Excellent water displacement and **reduced risk of aquaplaning**

16–18 Inch

Speed Rating: H–V

55–70 Series

4SEASONS & SUV

FOR EVERY WEATHER CONDITION IN ALL SEASONS

4SEASONS

RIM	EU SIZE	LI		XL					EPREL
14	155/65R14	75	T	-	D	B	71	B	981236
14	165/70R14	85	H	XL	D	B	71	B	898372
14	165/65R14	79	T	-	D	B	71	B	981237
14	175/65R14	86	T	XL	C	B	71	B	898317
14	185/65R14	86	T	-	C	B	71	B	898319
14	185/60R14	82	H	-	C	B	71	B	898318
15	175/65R15	84	T	-	C	B	71	B	898320
15	185/65R15	92	H	XL	C	B	71	B	898373
15	185/60R15	88	H	XL	C	B	71	B	898322
15	185/55R15	86	H	XL	C	B	71	B	898374
15	195/65R15	95	V	XL	C	B	72	B	898375
15	195/60R15	88	H	-	C	B	72	B	898326
15	195/55R15	85	H	-	C	B	72	B	898325
15	195/50R15	82	H	-	C	B	72	B	898324
16	195/55R16	91	V	XL	C	B	72	B	898376
16	205/60R16	92	H	-	C	B	72	B	898330
16	205/55R16	94	V	XL	C	B	72	B	898329
16	215/60R16	99	V	XL	C	B	72	B	981238
16	215/55R16	97	V	XL	C	B	72	B	898331
17	205/50R17	93	W	XL	C	B	72	B	898377
17	205/45R17	88	V	XL	D	B	72	B	981239
17	215/55R17	98	W	XL	C	B	72	B	981241
17	215/50R17	95	W	XL	C	B	72	B	981242
17	225/55R17	101	V	XL	C	B	72	B	898335
17	225/50R17	98	V	XL	C	B	72	B	898334
17	225/45R17	94	V	XL	C	B	72	B	898333
18	225/55R18	102	V	XL	B	B	72	B	981247
18	225/40R18	92	Y	XL	D	B	72	B	981248

4SEASONS SUV

RIM	EU SIZE	LI		XL					EPREL
16	215/65R16	102	V	XL	C	B	72	B	898336
17	215/65R17	103	V	XL	B	B	72	B	981240
17	215/60R17	96	V	-	C	B	72	B	898338
17	225/65R17	106	V	XL	B	B	72	B	981243
17	235/65R17	108	V	XL	B	B	72	B	981244
17	235/55R17	103	V	XL	C	B	72	B	898337
18	215/55R18	99	V	XL	C	B	72	B	981245
18	235/55R18	104	V	XL	C	B	72	B	981246

LI Load Capacity Speed Rating **XL** Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

"New 4Seasons tyre finetuned for **all year driving,** ensuring **optimal grip** on snow, **safe driving** on cold wet roads, and **consistent performance** on hot dry summer days."

FEATURES & BENEFITS

Dual ultra-wide grooves

- Ensures f**ast water evacuation,** resistance to aquaplaning, and **short braking distances** on wet surfaces

All seasons "full silica" compound

- Ensures consistent grip across **wide range of temperatures,** and **a long lasting mileage**

Multiple deep sipes

- Ensures **excellent grip on snow and ice surfaces,** for firm accelerations and **short stopping distances**

14–18 Inch

Speed Rating: T–Y

40–70 Series

MAXMILER PRO

DEPENDABLE, LONG LASTING COMMERCIAL VAN TYRE

MAXMILER PRO

RIM	EU SIZE	LI		PR					EPREL
12	145R12C	86/84	N	8PR	D	C	71	B	898108
12	155R12C	88/86	R	8PR	D	C	71	B	898080
13	165R13C	94/92	R	8PR	D	C	71	B	898081
13	175R13C	97/95	R	8PR	D	C	71	B	898083
14	175/65R14C	90/88	T	6PR	D	C	71	B	898082
14	185R14C	102/100	R	8PR	D	B	71	B	898401
14	195R14C	106/104	R	8PR	C	B	71	B	898383
14	205/75R14C	109/107	S	8PR	C	B	71	B	898398
14	205R14C	109/107	P	8PR	C	B	71	B	898404
15	195/70R15C	104/102	R	8PR	C	B	71	B	898381
15	205/70R15C	106/104	R	8PR	C	B	71	B	898385
15	215/70R15C	109/107	S	8PR	C	B	71	B	898389
15	215/65R15C	104/102	T	6PR	D	B	71	B	898399
15	225/70R15C	112/110	R	8PR	C	B	71	B	898393
16	185/75R16C	104/102	T	8PR	C	B	71	B	898400
16	195/75R16C	107/105	R	8PR	C	B	71	B	898382
16	195/65R16C	104/102	T	8PR	C	B	71	B	898403
16	195/60R16C	99/97	H	6PR	D	B	71	B	898402
16	205/75R16C	113/111	R	10PR	C	B	71	B	898386
16	205/65R16C	107/105	T	8PR	C	B	71	B	898384
16	215/75R16C	116/114	R	10PR	C	B	71	B	898391
16	215/70R16C	108/106	T	6PR	D	B	71	B	898390
16	215/65R16C	109/107	T	8PR	C	B	71	B	898388
16	215/60R16C	103/101	H	6PR	D	B	71	B	898387
16	225/75R16C	121/120	R	10PR	C	B	71	B	898397
16	225/65R16C	112/110	T	8PR	C	B	71	B	898392
16	235/65R16C	121/119	R	10PR	C	B	71	B	898394
17	215/60R17C	109/107	T	8PR	C	B	71	B	898395
17	235/60R17C	117/115	R	10PR	D	B	71	B	898396

LI Load Capacity Speed Rating **PR** Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

"The perfect tyre **for transporter commercial operations**, providing **improved durability**, **reduced wear and tear** even under high loads."

FEATURES & BENEFITS

Reinforced sidewall construction
- **Improved durability and stability** at high loads

Flat tread contour
- High contact area for **increased wear volume** and **extended mileage**

New tread compound
- **Excellent driving characteristics** in wet conditions, confirmed by **very good label values**

12–17 Inch

Speed Rating: R–H

60–75 Series

KARGOMAX

TRAILER & CARAVANS

KARGOMAX ST-4000

RIM	EU SIZE	LI		XL					EPREL
13	145/80R13	79	N	XL	D	C	70	B	898417
13	145/70R13	84	N	XL	D	C	69	B	898425
13	155/70R13	78	N	–	D	C	69	B	898413
13	155R13	84	N	XL	C	C	70	B	898412
13	165/70R13	80	N	–	D	C	69	B	898414
13	185/70R13	93	N	XL	D	C	70	B	898420
14	185/65R14	93	N	XL	D	C	69	B	898421
14	195/70R14	96	N	XL	C	C	72	B	898416
15	195/65R15	95	N	XL	C	C	72	B	898415

KARGOMAX ST-6000

RIM	EU SIZE	LI		PR					EPREL
12	155/70R12C	104/101	N	*	C	C	70	B	898422
12	185/60R12C	104/101	N	*	C	C	70	B	898423
12	195/60R12C	104/102	N	*	C	C	70	B	898409
13	155R13C	91/89	N	*	C	C	70	B	898419
13	165R13C	96/94	N	*	C	C	70	B	898407
13	195/50R13C	104/101	N	*	C	C	72	B	898424
14	185R14C	104/102	N	*	C	C	70	B	898408
14	195/70R14C	104/102	N	*	C	C	70	B	898410
15	195/70R15C	104/102	N	*	C	C	70	B	898411
16	225/75R16C	121/120	N	*	C	C	71	B	898418

LI Load Capacity Speed Rating **XL** Extraload **PR** Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

"**Specially developed tyre** for heavy-duty trailer and caravan use **for long driving distances.**"

FEATURES & BENEFITS

Robust profile design developed for trailer use

- Combines **high abrasion resistance** with **low rolling resistance**

Reinforced sidewall construction and rubber compound

- **Reduces the signs of ageing** due to ozone or UV exposure during extended service life

Specially developed rubber compound (interior liner)

- This tyre provides **constant air pressure**

12–16 Inch

Speed Rating: N

50–80 Series

MAXMILER ALLSEASON

ALL SEASON TYRE FOR LIGHT TRUCK COMMERCIAL OPERATIONS

MAXMILER ALLSEASON

RIM	EU SIZE	LI		PR					EPREL
15	195/70R15C	104/102	R	8PR	D	C	71	B	898256
15	215/70R15C	109/107	R	8PR	C	C	71	B	898258
15	215/65R15C	104/102	T	6PR	D	C	71	B	898257
15	225/70R15C	112/110	R	8PR	C	C	71	B	898259
16	195/75R16C	107/105	R	8PR	D	C	71	B	898261
16	195/65R16C	104/102	T	8PR	D	C	71	B	898260
16	205/75R16C	113/111	R	10PR	C	C	71	B	898263
16	205/65R16C	107/105	T	8PR	C	C	71	B	898262
16	215/75R16C	116/114	R	10PR	C	C	71	B	898265
16	215/65R16C	109/107	T	8PR	C	C	71	B	898264
16	225/75R16C	121/120	R	10PR	C	C	71	B	898267
16	225/65R16C	112/110	R	8PR	C	C	71	B	898266
16	235/65R16C	115/113	R	8PR	C	B	71	B	898255

LI Load Capacity Speed Rating **PR** Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

"**The ideal tyre for LTR and van vehicles** in the changing weather conditions, **combining long lasting mileage and safety.**"

FEATURES & BENEFITS

Specially designed LTR compound for all year round usage
- Dedicated new **advanced all season compound**

Innovative profile
- Good traction in low adherence **roads covered with snow and ice**

Optimized slats and profile grooves
- **Excellent aquaplaning resistance** and **short braking distances** on wet roads

15–16 Inch

Speed Rating: R–T

65–75 Series

PATTERN OVERVIEW

◀ Summer | All Year ▶

RIM	SERIES	SIZE	SPORTACTIVE 2	SPORTACTIVE	SPORTACTIVE 2 SUV	SPORTACTIVE SUV	FE2	CHAMPIRO FE1	FE2 SUV	SAVERO SUV	FE1 CITY	CHAMPIRO ECO	4SEASONS	4SEASONS SUV
21	35	295/35R21	107Y											
20	35	245/35R20	95Y											
		255/35R20	97Y											
	40	275/40R20			106Y									
	45	245/45R20	103Y											
		255/45R20			105W									
		265/45R20	104Y											
		275/45R20	110Y											
19	35	225/35R19	88Y	88Y										
		235/35R19	91Y											
		245/35R19	93Y											
		255/35R19	96Y	96Y										
	40	225/40R19	93Y	93Y										
		235/40R19	96Y											
		245/40R19	98Y											
		255/40R19	100Y	100Y										
		275/40R19	105Y											
	45	225/45R19		96W										
			96Y											
		235/45R19	99Y											
		245/45R19	102Y											
	50	255/50R19												
						107W								
			107Y											
	55	235/55R19												
					105W									
		255/55R19				111V								
			111Y											
18	35	255/35R18	94Y	94Y										
		265/35R18		97Y										
	40	225/40R18												
			92Y	92Y									92Y	
		235/40R18		95W										
			95Y	95Y										
		245/40R18												
			97Y	97Y										
	45	225/45R18												
			95Y											
		235/45R18												
			98W											
		245/45R18												
			100Y											
		255/45R18	103W	103W										
	50	225/50R18							99W					
		235/50R18												
									97V					

◀ Summer | All Year ▶

RIM	SERIES	SIZE	SPORTACTIVE 2	SPORTACTIVE	SPORTACTIVE 2 SUV	SPORTACTIVE SUV	FE2	CHAMPIRO FE1	FE2 SUV	SAVERO SUV	FE1 CITY	CHAMPIRO ECO	4SEASONS	4SEASONS SUV
18	55	215/55R18							99V	99V				99V
		225/55R18											102V	
						98V			98V					
		235/55R18								100V				
									104V					104V
		255/55R18												
						109W								
			109Y											
	60	225/60R18								100H				
									100V					
		235/60R18												
										107V				
									107W					
		265/60R18								110H				
	65	225/65R18								103H				
17	40	205/40R17	84W											
		215/40R17	87W											
		245/40R17		91Y										
		255/40R17		98Y										
	45	205/45R17		88V									88V	
			88W	88W										
		215/45R17	91W	91W										
		225/45R17											94V	
			94Y											
		235/45R17												
				97W										
			97Y	97Y										
		245/45R17												
			99W	99W										
	50	205/50R17												
							93W						93W	
		215/50R17												
							95W						95W	
				95Y										
		215/50ZR17						95W						
		225/50R17						98V					98V	
				98W										
							98Y							
	55	205/55R17												
							95W							
		215/55R17								94V				
								94W	94W					
								98W					98W	
		225/55R17											101V	
							101Y							
		235/55R17												103V
									99V	99V				

◀ Summer | All Year ▶

RIM	SERIES	SIZE	SPORTACTIVE 2	SPORTACTIVE	SPORTACTIVE 2 SUV	SPORTACTIVE SUV	FE2	CHAMPIRO FE1	FE2 SUV	SAVERO SUV	FE1 CITY	CHAMPIRO ECO	4SEASONS	4SEASONS SUV
17	60	215/60R17							96H	96H				
														96V
		225/60R17								99H				
									99V					
		235/60R17												
		255/60R17								106V				
	65	215/65R17												103V
									99V					
		225/65R17								102H				
									102V					
														106V
		235/65R17												
									108V	108V				108V
		245/65R17								111H				
		265/65R17								112H				
16	45	195/45R16	84V	84V										
		205/45R16	87W											
		215/45R16	90V	90V										
	50	195/50R16						88V						
	55	185/55R16									87V			
		195/55R16					87H	87H						
								87V						
							91V	91V					91V	
		205/55R16					91H							
							91V							
							91W							
								94V					94V	
								94W						
		215/55R16												
								93V						
													97V	
							97W	97W						
		225/55R16												
							99W	99W						
	60	195/60R16												
		205/60R16					92H						92H	
								96H						
							96V	96V						
		215/60R16								95H				
							99V	99V					99V	
		235/60R16								100H				
	65	215/65R16							98H	98H				
														102V

◀ Summer | All Year ▶

RIM	SERIES	SIZE	SPORTACTIVE 2	SPORTACTIVE	SPORTACTIVE 2 SUV	SPORTACTIVE SUV	FE2	CHAMPIRO FE1	FE2 SUV	SAVERO SUV	FE1 CITY	CHAMPIRO ECO	4SEASONS	4SEASONS SUV
16	70	215/70R16								100H				
		225/70R16								103H				
		235/70R16								106H				
		245/70R16								111H				
		255/70R16												
		265/70R16								112H				
	75	225/75R16												
15	50	195/50R15						82H					82H	
							82V	82V						
	55	175/55R15									81T			
		185/55R15					82H	82H						
							82V	82V						
													86H	
		195/55R15					85H	85H					85H	
							85V	85V						
	60	155/60R15									78T			
		185/60R15												
							88H						88H	
		195/60R15					88H	88H					88H	
							88V	88V						
		205/60R15						91V						
	65	165/65R15									85T			
		175/65R15					84T	84T					84T	
							88H							
		185/65R15					88H							
							88T							
													92H	
								92T						
		195/65R15					91H							
							91V	91V						
							95H							
													95V	
		205/65R15												
								94V						

◀ Summer | All Year ▶

RIM	SERIES	SIZE	SPORTACTIVE 2	SPORTACTIVE	SPORTACTIVE 2 SUV	SPORTACTIVE SUV	FE2	CHAMPIRO FE1	FE2 SUV	SAVERO SUV	FE1 CITY	CHAMPIRO ECO	4SEASONS	4SEASONS SUV
14	60	185/60R14					82H				82H		82H	
	65	155/65R14											75T	
											79T			
		165/65R14											79T	
											83T			
		175/65R14					82T				82T			
													86T	
		185/65R14									86H			
													86T	
	70	165/70R14					81T				81T			
													85H	
		175/70R14												
											88T			
		185/70R14									88H			
		195/70R14									91H			
13	65	155/65R13										73T		
		165/65R13										77T		
	70	145/70R13										71T		
		155/70R13										75T		
		165/70R13										79T		
		175/70R13										82H		
	80	145/80R13									79T			
		155/80R13												
											83T			
		165/80R13									83T			

MORE INFO
ON CURRENT PRODUCT RANGE
ON OUR WEBSITE

GTRADIAL.EU

Giti Tire Deutschland GmbH
Hollerithallee 18a
30419 Hannover
Telefon: +49 (0) 511-5153 56-0
Fax: +49 (0) 511-5153 56-10
E-Mail: info@gt-radial.de

GTR_1122_01_001_EU

Disclaimer
The information contained in this catalogue is for general information purposes only. Every effort has been made to ensure theproduct information provided is accurate and up to date at time of printing. We reserve the right to change ranges, descriptions, modify, or substitute products without notice.

Giti cannot be held liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this catalogue.