



Passenger Car, SUV and Light Truck
PRODUCT GUIDE | WINTER 2024

TABLE OF CONTENTS


R&D CENTRE EUROPE	3
WINTER TYRE RANGE	4
CORPORATE SOCIAL RESPONSIBILITIES	6
PCR/SUV/4x4	
WinterPro2 evo – The reliable companion for winter adventures	8
WinterPro2 Sport– Deliveres superb snow performance for exceptional driving pleasure	10
VAN	
MAXMILER WT3  – The ideal companion for winter operations	12
MAXMILER WT2 Cargo – The winter tyres for commercial vehicles	14
ALLSEASON	
4Seasons – For different weather conditions all year round	16
MAXMILER AllSeason2  – The all-season van tire with long lasting mileage	18
PATTERN OVERVIEW	20

GLOBAL R&D CENTRES

LOCATION:

- ▲ R&D Centre in China
- ▲ R&D Centre in Indonesia
- ▲ R&D Centre in Chester County, USA
- ▲ R&D Europe Testing Centre in Mira, UK
- ▲ R&D Centre Europe in Hanover, Germany

APART FROM CONDUCTING OUR OWN RESEARCH AND DEVELOPMENT, WE ALSO COLLABORATE WITH LEADING UNIVERSITIES AND RESEARCH INSTITUTES AROUND THE WORLD.



Winter Tire Range



WinterPro2 evo



WinterPro2 Sport



PCR/SUV/4x4



WinterPro2 evo



WinterPro2 Sport

VAN



MAXMILER WT3



MAXMILER WT2
Cargo

ALLSEASON



4Seasons



MAXMILER
Allseason2



Corporate Social Responsibilities

MISSION & COMMITMENT

Giti Tire endorses the United Nations Sustainable Development Goals (SDGs) and incorporates them into each CSR activity. These goals cover a broad range of social and economic development issues. Included among them are poverty, hunger, health, education, climate change, gender equality, water sanitation, energy, environment, and social justice.




GREEN & EFFICIENT PRODUCTION




REDUCE

Thanks to our design approach, our tires are lighter, consume less energy and last longer.



RENEW

We use eco_design materials from renewable resources.



4R
CIRCULAR
ECONOMY



REUSE

Our tires are repairable, regroovable, retreadable.



RECYCLE

We incorporate recycled materials into our new tires.

UNGC MEMBERSHIP



As part of the United Nations, the UNGC is a highly respected and important global business agreement, that requires a CEO and company commitment to adhering to the Ten Principles of the United Nations, including human rights, labor, environment, and anti-corruption. Giti is proud to join this exclusive and important compact in 2021, and continue to grow with it through an annual Communication on Progress, as well as other commitments.

FURTHER DETAILS ABOUT
THE UNITED NATIONS
GLOBAL COMPACT CAN BE
SEEN ON THEIR WEBSITE
HERE



GPSNR MEMBERSHIP



Giti Tire is proud to be a member of GPSNR (Global Platform for Sustainable Natural Rubber), a leading global organization dedicated to maintaining a fair, equitable, and environmentally sound natural rubber value chain. As tires directly relate to the environment, a focus on improving the process of rubber creation, procurement, and supply is very important to reducing societal impact and creating positive offsetting solutions for the industry.

YOU CAN LEARN
MORE ABOUT GITI'S
ENVIRONMENTAL AND
OTHER SUSTAINABLE
EFFORTS AT



1 Green Energy

Giti utilizes alternative and clean energy methods, including solar panels to generate green electricity

2 Water Recycling

Continued recycling of water usage at Giti's plants has improved local environments

3 Flue-Gas Desulfurization (FGD)

The desulfurization efficiency rate now exceeds 95%, reducing 190 tons since the previous year

4 Green Certifications

Giti's plants throughout the world have received environmental management certification and passed clean production audits.

WinterPro2 evo

THE RELIABLE COMPANION FOR WINTER ADVENTURES

WinterPro2 evo

RIM	EU SIZE	LI		XL	3PMSF					EPREL
13	155/70R13	75	T	SL	3PMSF	E	C	69	B	1547399
13	155/80R13	79	T	SL	3PMSF	E	C	69	B	1547406
13	165/70R13	79	T	SL	3PMSF	E	C	69	B	1547402
13	175/70R13	82	T	SL	3PMSF	E	C	69	B	1547405
14	155/65R14	75	T	SL	3PMSF	E	C	69	B	1547401
14	165/65R14	79	T	SL	3PMSF	E	C	69	B	1547404
14	165/70R14	81	T	SL	3PMSF	D	C	69	B	1547385
14	175/65R14	82	T	SL	3PMSF	E	B	69	B	1547383
14	175/65R14	86	T	XL	3PMSF	D	B	69	B	1547417
14	175/70R14	84	T	SL	3PMSF	D	C	69	B	1547391
14	185/60R14	82	T	SL	3PMSF	E	B	69	B	1547392
14	185/65R14	86	T	SL	3PMSF	D	B	69	B	1547395
14	185/70R14	88	T	SL	3PMSF	D	B	69	B	1547412
15	175/65R15	84	T	SL	3PMSF	D	B	69	B	1547394
15	185/55R15	82	T	SL	3PMSF	D	B	69	B	1547403
15	185/60R15	84	T	SL	3PMSF	D	B	69	B	1547390
15	185/60R15	88	T	XL	3PMSF	D	B	69	B	1547386
15	185/65R15	88	T	SL	3PMSF	D	B	69	B	1547382
15	195/50R15	82	H	SL	3PMSF	E	B	70	B	1547415
15	195/55R15	85	H	SL	3PMSF	D	B	70	B	1547408
15	195/60R15	88	T	SL	3PMSF	D	B	70	B	1547398
15	195/65R15	91	T	SL	3PMSF	D	B	70	B	1547396
15	195/65R15	91	H	SL	3PMSF	D	B	70	B	1547379
15	195/65R15	95	T	XL	3PMSF	D	B	70	B	1547393
15	205/65R15	94	T	SL	3PMSF	D	B	70	B	1547411
16	195/55R16	91	H	XL	3PMSF	D	B	70	B	1547421
16	195/60R16	89	H	SL	3PMSF	D	B	70	B	1547420
16	205/55R16	91	T	SL	3PMSF	D	B	70	B	1547384
16	205/55R16	91	H	SL	3PMSF	D	B	70	B	1547381
16	205/60R16	92	H	SL	3PMSF	D	B	70	B	1547387
16	205/60R16	96	H	XL	3PMSF	D	B	70	B	1547389
16	215/55R16	93	H	SL	3PMSF	D	B	70	B	1547400
16	215/55R16	97	H	XL	3PMSF	D	B	70	B	1547407
16	215/60R16	99	H	XL	3PMSF	C	B	70	B	1547388
16	215/65R16	98	H	SL	3PMSF	D	B	70	B	1547397
16	215/70R16	100	T	SL	3PMSF	D	B	70	B	1547418
16	215/70R16	100	H	SL	3PMSF	D	B	70	B	1547419
16	225/55R16	99	H	XL	3PMSF	D	B	70	B	1547409
17	205/55R17	95	H	XL	3PMSF	D	B	70	B	1547416
17	215/50R17	95	V	XL	3PMSF	D	B	70	B	1547414
17	215/55R17	98	V	XL	3PMSF	D	B	70	B	1547410
17	235/60R17	106	H	XL	3PMSF	D	B	72	B	1547423
17	235/65R17	108	H	XL	3PMSF	C	B	72	B	1547422
17	245/65R17	111	H	XL	3PMSF	C	B	72	B	1547380



LI Load Capacity Speed Rating XL Extraload Fuel Efficiency
 Wet Grip Noise Grade Noise Data

Safe driving in winter conditions

FEATURES & BENEFITS

- CONTROL ON SNOW COVERED ROADS**
Directional pattern with multi-sipes
- COMFORTABLE DRIVING ON WET ROADS**
Dedicated winter compound with improved wet grip
- RELIABLE ON DRY ROADS**
Solid centre area for precise steering

Speed:
T-V

Inch:
13-17

Series:
50-80



WinterPro2 Sport

DELIVERS SUPERB SNOW PERFORMANCE FOR
EXCEPTIONAL DRIVING PLEASURE




WinterPro2 Sport

RIM	EU SIZE	LI		XL	3PMSF					EPREL
17	205/40R17	84	V	XL	3PMSF	D	B	70	B	1547368
17	205/45R17	88	V	XL	3PMSF	D	B	70	B	1547369
17	205/50R17	93	V	XL	3PMSF	D	B	70	B	1547370
17	215/45R17	91	V	XL	3PMSF	D	B	70	B	1547371
17	215/60R17	96	H	SL	3PMSF	C	B	70	B	1547428
17	215/65R17	99	V	SL	3PMSF	D	B	70	B	1547429
17	225/45R17	94	V	XL	3PMSF	D	B	70	B	1547425
17	225/50R17	98	V	XL	3PMSF	D	B	70	B	1547426
17	225/55R17	101	V	XL	3PMSF	C	B	70	B	1547372
17	225/60R17	99	V	SL	3PMSF	C	B	70	B	1547373
17	225/65R17	106	H	XL	3PMSF	C	B	70	B	1547430
17	235/55R17	103	V	XL	3PMSF	C	B	71	B	1547431
18	225/40R18	92	V	XL	3PMSF	D	B	70	B	1547424
18	225/45R18	95	V	XL	3PMSF	D	B	70	B	1547374
18	225/50R18	99	H	XL	3PMSF	C	B	70	B	1573460
18	235/45R18	98	V	XL	3PMSF	D	B	71	B	1547427
18	235/50R18	101	V	XL	3PMSF	C	B	71	B	1573461
18	235/55R18	104	H	XL	3PMSF	C	B	71	B	1547375
18	235/60R18	107	V	XL	3PMSF	C	B	71	B	1547376
18	245/45R18	100	V	XL	3PMSF	C	B	71	B	1547377
19	235/35R19	91	V	XL	3PMSF	E	B	71	B	1612523
19	235/45R19	99	V	XL	3PMSF	C	B	71	B	1547378
19	235/55R19	105	V	XL	3PMSF	C	B	71	B	1547432

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



WinterPro² Sport Product Performances



Retain high speed
pleasure during
winter season

FEATURES & BENEFITS

-  **PRECISE STEERING AND HIGH SPEED PRECISION**
Large shoulder blocks with multi T-bars
-  **PLEASANT DRIVING IN WINTER CONDITIONS**
Optimised deep traction sipes
-  **SAFE DRIVING ON WET ROADS**
Circumferential and lateral grooves
for fast water evacuation

Speed:
H-V

Inch:
17-19

Series:
40-65





MAXMILER WT3

THE IDEAL COMPANION FOR WINTER OPERATIONS

MAXMILER WT3

RIM	EU SIZE	LI		3PMSF	PR	EV Ready					EPREL
15	195/70R15C	104/102	T	3PMSF	8PR	YES	C	A	72	B	1958787
15	215/65R15C	104/102	T	3PMSF	6PR	YES	D	A	72	B	1958789
15	215/70R15C	109/107	S	3PMSF	8PR	YES	C	A	72	B	1958791
15	225/70R15C	112/110	S	3PMSF	8PR	YES	C	A	72	B	1958793
16	185/75R16C	104/102	R	3PMSF	8PR	YES	C	A	71	B	1958795
16	195/60R16C	99/97	T	3PMSF	6PR	YES	D	A	72	B	1958797
16	195/65R16C	104/102(100)	R(T)	3PMSF	8PR	YES	C	A	72	B	1958799
16	195/75R16C	110/108	R	3PMSF	10PR	YES	D	A	72	B	1958801
16	205/65R16C	107/105	T	3PMSF	8PR	YES	C	A	72	B	1958803
16	205/75R16C	113/111	R	3PMSF	10PR	YES	D	A	72	B	1958805
16	215/60R16C	103/101	T	3PMSF	6PR	YES	D	A	72	B	1958807
16	215/65R16C	109/107(106)	T(H)	3PMSF	8PR	YES	C	A	72	B	1958809
16	215/75R16C	116/114	R	3PMSF	10PR	YES	D	A	72	B	1958811
16	225/65R16C	112/110	R	3PMSF	8PR	YES	C	A	72	B	1958813
16	225/75R16C	121/120	R	3PMSF	10PR	YES	D	A	72	B	1958815
16	235/65R16C	121/119	R	3PMSF	10PR	YES	C	A	72	B	1958817
17	215/60R17C	109/107(104)	T(H)	3PMSF	8PR	YES	C	A	72	B	1958817
17	225/55R17C	109/107(104)	T(H)	3PMSF	8PR	YES	C	A	72	B	1958819

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

Grip, Safety and efficient mileage in winter

FEATURES & BENEFITS

- SAFETY ON ALL ROAD CONDITIONS
Deep, wide grooves, zig-zag sipes
- COMFORT AND PEACE OF MIND
Optimised tyre pattern and shape
- PERFORMANCE AND ENDURANCE
New dedicated compound



Speed:
R–H

Inch:
15–17

Series:
55–75

MAXMILER WT2 Cargo

THE WINTER TYRE FOR COMMERCIAL VEHICLES

MAXMILER WT2 Cargo

RIM	EU SIZE	LI		PR					EPREL
12C	155R12C	88/86	R	8PR	E	C	B	71	898232
14C	165/70R14C	89/87	R	6PR	E	C	B	71	898212
14C	185R14C	102/100	Q	8PR	D	C	B	71	898213
14C	195R14C	106/104	Q	8PR	D	C	B	71	898214
14C	205R14C	109/107	Q	8PR	D	C	B	71	898233
15C	195/70R15C	104/102	R	8PR	D	C	B	71	898215
15C	205/70R15C	106/104	R	8PR	D	C	B	71	898216
15C	205/65R15C	102/100	T	6PR	D	C	B	71	898217
15C	215/70R15C	109/107	R	8PR	C	C	B	71	898218
15C	215/65R15C	104/102	T	6PR	D	C	B	71	898118
15C	225/70R15C	112/110	R	8PR	C	B	B	71	898219
16C	175/75R16C	101/99	R	8PR	D	C	B	71	898234
16C	185/75R16C	104/102	R	8PR	D	C	B	71	898220
16C	195/75R16C	107/105	R	8PR	D	C	B	71	898223
16C	195/65R16C	104/102	T	8PR	D	C	B	71	898222
16C	195/60R16C	99/97	T	6PR	D	C	B	71	898221
16C	205/75R16C	113/111	R	10PR	C	C	B	71	898225
16C	205/65R16C	107/105	T	8PR	C	C	B	71	898224
16C	215/75R16C	116/114	R	10PR	C	C	B	71	898228
16C	215/65R16C	109/107	T	8PR	C	C	B	71	898226
16C	215/60R16C	103/101	T	6PR	D	C	B	71	898227
16C	225/75R16C	121/120	R	10PR	C	B	B	71	898230
16C	225/65R16C	112/110	R	8PR	C	B	B	71	898229
16C	235/65R16C	115/113	R	8PR	C	B	B	71	898231

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

Grip, Safety and efficient mileage in winter

FEATURES & BENEFITS

- SUPERB HANDLING AND SMOOTH, COMFORTABLE HANDLING**
New profile design
- EXCELLENT WATER DISPLACEMENT AND VERY GOOD GRIP IN WINTER CONDITIONS**
Optimized slats and profile grooves
- EXCELLENT BRAKING PERFORMANCE ON SNOW AND ICE, LONG MILEAGE**
New tread compound



Speed:
Q-T

Inch:
12-16

Series:
60-75

4Seasons

FOR DIFFERENT WEATHER CONDITIONS
ALL YEAR ROUND

4Seasons

RIM	EU SIZE	LI		XL	3PMSF					EPREL
14	155/65R14	75	T	SL	3PMSF	D	B	71	B	1621157
14	165/65R14	79	T	SL	3PMSF	D	B	71	B	1621159
14	165/70R14	85	H	XL	3PMSF	D	B	71	B	898372
14	175/65R14	86	T	XL	3PMSF	C	B	71	B	898317
14	185/60R14	82	H	SL	3PMSF	C	B	71	B	898318
14	185/65R14	86	T	SL	3PMSF	C	B	71	B	898319
15	175/65R15	84	T	SL	3PMSF	C	B	71	B	898320
15	185/55R15	86	H	XL	3PMSF	C	B	71	B	898374
15	185/60R15	88	H	XL	3PMSF	C	B	71	B	898322
15	185/65R15	92	H	XL	3PMSF	C	B	71	B	898373
15	195/50R15	82	H	SL	3PMSF	C	B	72	B	898324
15	195/55R15	85	H	SL	3PMSF	C	B	72	B	898325
15	195/60R15	88	H	SL	3PMSF	C	B	72	B	898326
15	195/65R15	95	V	XL	3PMSF	C	B	72	B	898375
16	195/55R16	91	V	XL	3PMSF	C	B	72	B	898376
16	205/55R16	94	V	XL	3PMSF	C	B	72	B	898329
16	205/60R16	92	H	SL	3PMSF	C	B	72	B	898330
16	215/55R16	97	V	XL	3PMSF	C	B	72	B	898331
16	215/60R16	99	V	XL	3PMSF	C	B	72	B	1621160
16	215/65R16	102	V	XL	3PMSF	C	B	72	B	898336
17	205/45R17	88	V	XL	3PMSF	D	B	72	B	1621161
17	205/50R17	93	W	XL	3PMSF	C	B	72	B	898377
17	215/50R17	95	W	XL	3PMSF	C	B	72	B	1621164
17	215/55R17	98	W	XL	3PMSF	C	B	72	B	1621163
17	215/60R17	96	V	SL	3PMSF	C	B	72	B	898338
17	215/65R17	103	V	XL	3PMSF	B	B	72	B	1621162
17	225/45R17	94	V	XL	3PMSF	C	B	72	B	898333
17	225/50R17	98	V	XL	3PMSF	C	B	72	B	898334
17	225/55R17	101	V	XL	3PMSF	C	B	72	B	898335
17	225/65R17	106	V	XL	3PMSF	B	B	72	B	1621165
17	235/55R17	103	V	XL	3PMSF	C	B	72	B	898337
17	235/65R17	108	V	XL	3PMSF	B	B	72	B	1621166
18	215/55R18	99	V	XL	3PMSF	C	B	72	B	1621167
18	225/40R18	92	Y	XL	3PMSF	D	B	72	B	1621170
18	225/55R18	102	V	XL	3PMSF	B	B	72	B	1621169
18	235/55R18	104	V	XL	3PMSF	C	B	72	B	1621168

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



Balanced performance

FEATURES & BENEFITS

SAFETY IN CHANGING WEATHER CONDITIONS
Special designed compound which retains the grip characteristics across wide range of temperatures

RELIABLE PERFORMANCE IN WINTER CONDITIONS
Multiple deep sipes ensures firm acceleration and reduced breaking distance

HIGH MILEAGE
All season compound technology

Speed:
T-Y

Inch:
14-18

Series:
40-70





MAXMILER AllSeason2

THE ALL-SEASON VAN TIRE
WITH LONG LASTING MILEAGE



MAXMILER AllSeason2

RIM	EU SIZE	LI		PR	3PMSF					EPREL
15	195/70R15C	104/102	T	8PR	3PMSF	D	A	71	B	1556319
15	215/70R15C	109/107	S	8PR	3PMSF	C	A	71	B	1556321
15	215/65R15C	104/102	T	6PR	3PMSF	D	A	71	B	1556320
15	225/70R15C	112/110	S	8PR	3PMSF	C	A	71	B	1556322
16	195/75R16C	110/108	R	10PR	3PMSF	D	A	71	B	1556324
16	195/65R16C	104/102(100)	R(T)	8PR	3PMSF	D	A	71	B	1556323
16	205/75R16C	113/111	R	10PR	3PMSF	D	A	71	B	1556326
16	205/65R16C	107/105	T	8PR	3PMSF	D	A	71	B	1556325
16	215/75R16C	116/114	R	10PR	3PMSF	D	A	71	B	1556329
16	215/65R16C	109/107	T	8PR	3PMSF	C	A	71	B	1556328
16	215/60R16C	103/101	T	6PR	3PMSF	D	A	71	B	1556327
16	225/75R16C	121/120	R	10PR	3PMSF	D	A	71	B	1556331
16	225/65R16C	112/110	R	8PR	3PMSF	C	A	71	B	1556330
16	235/65R16C	121/119	R	10PR	3PMSF	D	A	71	B	1556318
17	215/60R17C	109/107(104)	T(H)	8PR	3PMSF	C	A	71	B	1556332
17	225/55R17C	109/107(104)	T(H)	8PR	3PMSF	C	A	71	B	1556333

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

High mileage
throughout the year

FEATURES & BENEFITS

- HIGH MILEAGE**
Wide tread design
- SUITABLE FOR ALL-SEASON USAGE**
Winter certification (3PMSF) and excellent wet label
- HIGH DURABILITY**
Robust tread block design and sidewall protection system



Speed:
R-T

Inch:
15-16

Series:
65-75



PATTERN OVERVIEW

WINTER ALLSEASON							
RIM	SIZE	WinterPro2 Sport	WinterPro2 evo	4Seasons	MAXMILER WT3	MAXMILER WT2 Cargo	MAXMILER AllSeason2
20	245/50R20						
	275/55R20						
	275/60R20						
19	235/35R19	91V					
	235/45R19	99V					
	235/55R19	105V					
18	215/55R18			99V			
	225/40R18	92V					
				92Y			
	225/45R18	95V					
	225/50R18	99H					
	225/55R18			102V			
	225/60R18						
	235/45R18	98V					
	235/50R18	101V					
	235/55R18	104H		104V			
	235/60R18	107V					
	235/65R18						
	245/45R18	100V					
	245/60R18						
	255/65R18						
	255/70R18						
	265/60R18						
	265/65R18						
	265/70R18						
	275/65R18						
17	205/40R17	84V					
	205/45R17	88V		88V			
	205/50R17	93V		93W			
	205/55R17		95H				
	215/45R17						

WINTER ALLSEASON							
RIM	SIZE	WinterPro2 Sport	WinterPro2 evo	4Seasons	MAXMILER WT3	MAXMILER WT2 Cargo	MAXMILER AllSeason2
17	215/45R17	91V					
	215/50R17		95V				
				95W			
	215/55R17		98V				
				98W			
	215/60R17	96H					
				96V			
	215/60R17C			103V	109/107(104)T(H)		109/107(104)T(H)
	215/65R17	99V					
	225/45R17	94V		94V			
	225/50R17	98V		98V			
	225/55R17	101V		101V			
	225/55R17C				109/107(104)T(H)		109/107(104)T(H)
	225/60R17	99V					
	225/65R17	106H					
				106V			
	235/55R17	103V		103V			
	235/60R17		106H				
			108H				
	235/65R17			108V			
16	175/75R16C					101/99R	
	185/75R16C				104/102R	104/102R	
	195/55R16		91H				
	195/60R16		89H	91V			
	195/60R16C				99/97T	99/97T	
	195/65R16C				104/102(100)R(T)		104/102(100)R(T)
						104/102T	
16	195/75R16C					107/105R	
					110/108R		100/108R

PATTERN
OVERVIEW

WINTER ALLSEASON							
RIM	SIZE	WinterPro2 Sport	WinterPro2 evo	4Seasons	MAXMILER WT3	MAXMILER WT2 Cargo	MAXMILER AllSeason2
16	205/55R16		91H				
			91T				
	205/60R16			94V			
			92H	92H			
			96H				
	205/65R16						
	205/65R16C				107/105T	107/105T	107/105T
	205/70R16						
	205/75R16C				113/111R	113/111R	113/111R
	215/55R16		93H				
			97H				
	215/60R16			97V			
			99H				
	215/60R16C			99V			
	215/65R16			103/101T	103/101T		103/101T
				102V			
			98H				
	215/65R16C				109/107(106)T(H)		
				109/107T	109/107T		109/107T
	215/70R16		100H				
			100T				
	215/75R16C				116/114R	116/114R	116/114R
	225/55R16		99H				
	225/60R16						
	225/65R16C				112/110R	112/110R	112/110R
	225/75R16C				121/120R	121/120R	121/120R
15	235/65R16C				115/113R		
	235/70R16				121/119R		121/119R
	175/65R15		84T	84T			
	185/55R15		82T				
				86H			
			84T				
	185/60R15			88H			
			88T				
			88T				
15	185/65R15						
				92H			
	195/50R15		82H	82H			
	195/55R15		85H	85H			

WINTER ALLSEASON							
RIM	SIZE	WinterPro2 Sport	WinterPro2 evo	4Seasons	MAXMILER WT3	MAXMILER WT2 Cargo	MAXMILER AllSeason2
15	195/60R15			88H			
			88T				
	195/65R15		91H				
			91T				
			95T				
				95V			
	195/70R15C				104/102T	104/102R	104/102T
	205/65R15		94T				
	205/65R15C					102/100T	
	205/70R15C					106/104R	
14	215/65R15C				104/102T	104/102T	104/102T
	215/70R15C					109/107R	
	225/70R15C				109/107S		109/107S
						112/110R	
							112/110S
					112/110S		
	155/65R14		75T	75T			
	165/65R14		79T	79T			
	165/70R14		81T				
				85H		89/87R	
14	165/70R14C						
	175/65R14		82T				
			86T	86T			
			84T				
	175/70R14						
	185/60R14			82H			
			82T				
			86T	86T			
	185/65R14						
			88T				
13	185/70R14						
	185R14C					102/100Q	
	195R14C					106/104Q	
	205R14C					109/107Q	
13	155/70R13		75T				
	155/80R13		79T				
	165/70R13		79T				
	175/70R13		82T				
12	155R12C					88/86R	



Giti Tire Deutschland GmbH
Hollerithallee 18a
30419 Hannover
Telefon: +49 (0) 511-5153 56-0
Fax: +49 (0) 511-5153 56-10
E-Mail: info@eu.giti.com



DISCLAIMER

The information contained in this catalogue is for general information purposes only. Every effort has been made to ensure the product information provided is accurate and up to date at time of printing. We reserve the right to change ranges, descriptions, modify, or substitute products without notice. Giti cannot be held liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this catalogue.

www.gtradial.eu