



NANKANG RUBBER TIRE CORP., LTD.
Suite 608, No. 136, Sec 3, Jen Ai Rd., Taipei City, Taiwan
TEL +886-2-27065137 FAX +886-2-27065174



2024-2025
WINTER
PRODUCT CATALOGUE

The Nankang Story

Over 65 Years of Industrious Work, all Dedicated to Motoring Safety

Nankang is proud of our quality products produced over the years. Yet we never cease to pursue excellence in both our R&D and manufacturing processes.

Nankang Rubber Tire's heritage runs deep; having the longest history among the tire manufacturers in Taiwan. For over 65 years, guided by our corporate motto, "Integrity, Pragmatism, and Innovation", we have persisted in creating performance and growth. In response to increasingly discerning market demands, we have striving aggressively towards our goals of "product innovation with R&D, differentiation from competition, product quality upgrading, customer satisfaction, after-sale service and professional management," in order to offer more and more innovative products.


Over 65 Years of Honour and Recognition, Winning Numerous Awards with our Effort in R&D

Over the past 65 years, our continuous efforts in keeping up with the advancement of technology and product quality control have proven to be fruitful not only in developing many innovative and durable products, but also bringing us numerous global awards in Quality Assurance.

Over 65 Years of Business Splendor, High Time to Turn a New Page

Nankang Rubber Tire's corporate logo has been in use for more than 65 years. Facing increasingly fierce competition from the global tire industry and considering the trend of corporate reforms, in 2010 Nankang embarked upon a review of its corporate identity system "CIS". Through this new project, we aim to build a new Nankang Tire brand image, of world standard. Being able to keep up with the times, the company will proudly move on to the next splendid century of its corporate history.

Mastering the Colourful World Stage with a New CIS

A passionate yet steady symbol, the , represents Nankang Rubber Tire's sustainable business philosophy, and her corporate spirit. Care for the customer is always of paramount importance.

The CIS employs a duo colour combination of red and black. The Red color expresses Nankang's corporate spirit of high passion, respect for customers, energy and vitality. The Black color highlights the strength and stability of her tire business and represents an image of generosity, grandeur, professionalism and trustworthiness.

Whether it be for cruising the highway, striding over an icescape, or conquering a dilapidated off-road track, for over 65 years, Nankang Tire has offered drivers safe innovative motoring, with a spirit as unbreakable as the tires she manufactures.

From her humble beginnings, Nankang has advanced across five continents, and covered more than 100 countries globally. From tire industry leader in Taiwan, Nankang is now steadily driving her way onto the global stage with unlimited opportunity.

Our Commitment to the Environment

Nankang realizes the fact that we are a part of the Earth's Eco system, and so we take pride in our responsibility to provide a better environment for future generations. Our commitment is evident right throughout the manufacturing process. Our raw materials are formulated to lower pollution emissions. As such, our suppliers are required to provide raw materials which conform to all relevant internationally recognized environmental regulations.

Extended Tire Life for Better Value and a Better Environment

Extending the durability of tires not only creates higher economic value for drivers, but also reduces the impact of scrapped tires upon the environment. To achieve this, Nankang uses highly structured chemical agents to lessen tread wear, and unique additives designed to slow the tire aging process. High pressure-bearing materials are applied, to enable tires to be properly inflated. While value and safety are essential to customer satisfaction, product quality and performance are never compromised.



Conformity to Regulations with HA (High Aromatic)-Oil Free Formula for VOC Reduction

Nankang tire compounds are formulated to meet the European Union's regulations on environmental protection which came into force in 2010. HA-oil free compounds are used across the major portion of our product line. In addition, necessary measures are taken to reduce volatile organic compound (VOC) generation in our manufacturing, thus eliminating further pollution in the process.

Lower Rolling Resistance for Fuel Saving and Carbon Dioxide Emission

Fuel consumption and carbon dioxide emissions are direct functions of a tire's rolling resistance. Lowering rolling resistance is one of the top priorities for our product development. High dispersible silica and unique cross linking agents are applied in our formula to achieve the stable integration of natural, synthetic rubber and silica, which leads to the advanced result of lower rolling resistance, less heat generation and better grip performance.

INDEX



The Nankang Story 01-02

Our Commitment 03-04

NEW



WINTER ACTIVA



ICE ACTIVA



ALL SEASON



EU LABEL 32




Designed For Passenger Car

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
60'	20	255/60R20	113(XL)	V	7.5	814	260	C	B	71	B
	18	235/60R18	107(XL)	V	7	739	240	C	B	71	B
	18	195/60R18	96(XL)	V	6	691	201	C	B	71	B
	17	215/60R17	100(XL)	V	6.5	690	221	C	B	71	B
65'	17	175/65R17	87	V	5	660	177	D	C	71	B
	16	215/65R16	102(XL)	H	6.5	686	221	C	B	71	B
	15	195/65R15	95(XL)	T	6	635	201	D	B	71	B
	15	185/65R15	92(XL)	T	5.5	621	189	D	C	71	B
70'	14	175/65R14	86(XL)	T	5	584	177	D	C	71	B
70'	13	145/70R13	71	T	4.5	534	150	E	D	71	B

SV-4 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
35'	21	315/35R21	111(XL)	V	11	753	320	D	B	73	B
	19	255/35ZR19	96(XL)	W	9	661	260	D	B	71	B
	19	255/35R19	96(XL)	Q	9	661	260			N/A	
40'	21	275/40ZR21	107(XL)	W	9.5	753	278	C	B	71	B
	21	275/40R21	107(XL)	Q	9.5	753	278			N/A	
	18	225/40R18	92(XL)	V	8	637	230	D	B	71	B
45'	20	255/45R20	105(XL)	V	8.5	738	255	C	B	71	B
	19	255/45R19	104(XL)	V	8.5	713	255	C	B	71	B
	18	245/45R18	100(XL)	V	8	677	243	C	B	71	B
	18	235/45R18	98(XL)	V	8	669	236	D	B	71	B
	18	215/45R18	93(XL)	Q	7	651	213			N/A	
	18	215/45R18	93(XL)	V	7	651	213	D	B	71	B
50'	17	225/45R17	94(XL)	V	7.5	634	225	D	B	71	B
	20	235/50R20	104(XL)	V	7.5	744	245	C	B	71	B
55'	19	215/50R19	93	V	7	699	226	D	B	71	B
	20	195/55R20	95(XL)	H	6	722	201	C	B	71	B
	18	255/55R18	109(XL)	V	8	737	265	C	B	71	B
	16	205/55R16	94(XL)	V	6.5	632	214	C	B	71	B
	15	175/55R15	77	T	5.5	573	182	D	C	71	B
15	175/55R15	77	Q	5.5	573	182			N/A		



Designed For Passenger Car


SV-3 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
35'	21	295/35R21	107(XL)	V	10.5	739	301	C	B	73	B
	21	295/35R21	107(XL)	Q	10.5	739	301	N/A			
	21	285/35R21	105(XL)	V	10	733	290	D	B	73	B
	21	285/35R21	105(XL)	Q	10	733	290	N/A			
	21	285/35R21	105(XL)	H	10	733	290	N/A			
	20	275/35ZR20	102(XL)	W	9.5	700	278	C	B	72	B
	20	275/35R20	102(XL)	Q	9.5	700	278	N/A			
	20	265/35ZR20	99(XL)	W	9.5	692	271	D	B	72	B
	20	265/35R20	99(XL)	Q	9.5	692	271	N/A			
	20	235/35R20	92(XL)	V	8.5	672	241	D	C	72	B
	20	235/35R20	92(XL)	Q	8.5	672	241	N/A			
	18	255/35R18	94(XL)	V	9	635	260	D	B	72	B
40'	21	315/40R21	115(XL)	V	11	785	320	C	B	73	B
	21	315/40R21	115(XL)	H	11	785	320	N/A			
	21	315/40R21	115(XL)	Q	11	785	320	N/A			
	21	265/40R21	105(XL)	V	9.5	745	271	C	B	72	B
	21	265/40R21	105(XL)	Q	9.5	745	271	N/A			
	21	265/40R21	105(XL)	H	9.5	745	271	N/A			
	21	255/40R21	102(XL)	V	9	737	260	C	B	72	B
	21	255/40R21	102(XL)	Q	9	737	260	N/A			
	21	255/40R21	102(XL)	H	9	737	260	N/A			
	20	255/40R20	101(XL)	V	9	712	260	C	B	72	B
	*20	245/40RF20	99(XL)	Q	8.5	704	248	N/A			
	20	245/40R20	99(XL)	V	8.5	704	248	D	B	72	B
20	245/40R20	99(XL)	T	8.5	704	248	N/A				
19	275/40R19	105(XL)	V	9.5	703	278	C	B	72	B	
19	275/40R19	105(XL)	Q	9.5	703	278	N/A				
19	265/40R19	102(XL)	V	9.5	695	271	D	B	72	B	
19	265/40R19	102(XL)	Q	9.5	695	271	N/A				
19	235/40ZR19	96(XL)	W	8.5	671	241	D	C	72	B	
19	235/40R19	96(XL)	Q	8.5	671	241	N/A				
19	225/40ZR19	93(XL)	W	8	663	230	D	C	72	B	
19	225/40R19	93(XL)	Q	8	663	230	N/A				
18	245/40R18	97(XL)	V	8.5	653	248	D	B	72	B	
18	225/40R18	92(XL)	V	8	637	230	D	C	72	B	
17	205/40R17	84(XL)	V	7.5	596	212	D	C	72	B	


Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
45'	21	275/45R21	110(XL)	Q	9	781	273	N/A			
	21	275/45R21	110(XL)	V	9	781	273	C	B	72	B
	21	235/45R21	101(XL)	V	8	745	236	D	C	72	B
	21	235/45R21	101(XL)	Q	8	745	236	N/A			
	21	235/45R21	101(XL)	H	8	745	236	N/A			
	20	255/45R20	105(XL)	V	8.5	738	255	C	B	72	B
	*19	285/45RF19	111(XL)	Q	9.5	739	285	N/A			
	19	285/45R19	111(XL)	V	9.5	739	285	C	B	72	A
	19	245/45R19	102(XL)	V	8	703	243	C	B	72	B
	19	245/45R19	102(XL)	Q	8	703	243	N/A			
	19	225/45R19	96(XL)	V	7.5	685	225	C	C	72	B
	18	245/45R18	100(XL)	V	8	677	243	C	B	72	B
18	225/45R18	95(XL)	V	7.5	659	225	D	C	72	B	
17	245/45R17	99(XL)	V	8	652	243	D	B	72	B	
17	245/45R17	99(XL)	Q	8	652	243	N/A				
17	235/45R17	97(XL)	V	8	644	236	D	C	71	B	
17	225/45R17	94(XL)	V	7.5	634	225	C	C	72	B	
17	215/45R17	91(XL)	V	7	626	213	D	C	72	B	
17	205/45R17	88(XL)	V	7	616	206	D	C	71	B	
17	205/45R17	88(XL)	Q	7	616	206	N/A				
16	215/45R16	90(XL)	Q	7	600	213	N/A				
16	215/45R16	90(XL)	H	7	600	213	D	C	72	B	
16	205/45R16	87(XL)	H	7	590	206	D	C	72	B	
16	195/45R16	84(XL)	V	6.5	582	195	D	C	71	B	

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
50'	19	265/50R19	110(XL)	Q	8.5	749	277	N/A			
	19	265/50R19	110(XL)	V	8.5	749	277	B	B	72	B
	*19	255/50RF19	107(XL)	Q	8	739	265	N/A			
	19	255/50R19	107(XL)	V	8	739	265	C	B	72	B
	19	245/50R19	105(XL)	V	7.5	729	253	C	B	72	B
	19	245/50R19	105(XL)	Q	7.5	729	253	N/A			
	19	235/50R19	103(XL)	V	7.5	719	245	C	C	72	B
	18	235/50R18	101(XL)	V	7.5	693	245	C	C	72	B
	18	225/50R18	99(XL)	H	7	683	233	C	C	72	B
	18	215/50R18	92	Q	7	673	226	N/A			
	18	215/50R18	92	V	7	673	226	D	C	72	B
	17	235/50R17	100(XL)	Q	7.5	668	245	N/A			
	17	235/50R17	100(XL)	V	7.5	668	245	D	C	72	B
	17	225/50R17	98(XL)	V	7	658	233	C	C	72	B
	17	205/50R17	93(XL)	V	6.5	638	214	D	C	72	B
	16	225/50R16	96(XL)	V	7	632	233	C	C	72	B
	16	225/50R16	96(XL)	Q	7	632	233	N/A			
	16	205/50R16	91(XL)	H	6.5	612	214	D	C	72	B
	16	195/50R16	88(XL)	H	6	602	201	D	C	71	B
	16	185/50R16	81	H	6	592	194	D	C	71	B
15	195/50R15	86(XL)	H	6	577	201	D	C	71	B	
15	175/50R15	75	H	5.5	557	182	D	D	71	B	
55'	19	235/55R19	105(XL)	V	7.5	741	245	C	C	72	B
	18	225/55R18	102(XL)	V	7	705	233	C	C	72	B
	18	215/55R18	99(XL)	H	7	693	226	C	C	72	B
	17	235/55R17	103(XL)	V	7.5	690	245	C	C	72	B
	17	225/55R17	101(XL)	V	7	680	233	C	C	72	B
	17	215/55R17	98(XL)	V	7	668	226	C	C	72	B
	17	205/55R17	95(XL)	V	6.5	658	214	C	C	72	B
	17	205/55R17	95(XL)	Q	6.5	658	214	N/A			
	16	225/55R16	99(XL)	V	7	654	233	C	C	72	B
	16	215/55R16	97(XL)	V	7	642	226	D	C	72	B
	16	205/55R16	94(XL)	V	6.5	632	214	C	C	71	B
	16	205/55R16	94(XL)	H	6.5	632	214	C	C	71	B
16	195/55R16	91(XL)	V	6	620	201	D	C	71	B	
16	195/55R16	87	H	6	620	201	D	C	71	B	
15	195/55R15	89(XL)	H	6	595	201	D	C	71	B	
15	185/55R15	86(XL)	H	6	585	194	D	C	71	B	
14	185/55R14	80	H	6	560	194	D	C	71	B	
60'	18	235/60R18	107(XL)	V	7	739	240	C	C	72	B
	16	235/60R16	104(XL)	H	7	688	240	C	C	72	B
	16	215/60R16	99(XL)	H	6.5	664	221	C	C	72	B
	16	205/60R16	96(XL)	H	6	652	209	C	C	71	B
	16	195/60R16	89	H	6	640	201	D	C	71	B
	16	185/60R16	86	H	5.5	628	189	D	C	71	B
	16	185/60R16	86	Q	5.5	628	189	N/A			
	16	175/60R16	86(XL)	H	5	616	177	D	C	71	B
	15	195/60R15	92(XL)	H	6	615	201	C	C	71	B
	15	185/60R15	88(XL)	H	5.5	603	189	C	C	71	B
	15	165/60R15	81(XL)	H	5	579	170	D	D	71	B
	14	185/60R14	82	H	5.5	578	189	D	C	71	B
14	165/60R14	79(XL)	H	5	554	170	D	D	71	B	
65'	17	235/65R17	108(XL)	V	7	738	240	C	C	72	B
	17	235/65R17	108(XL)	Q	7	738	240	N/A			
	16	215/65R16	102(XL)	H	6.5	686	221	C	C	72	B
	15	205/65R15	99(XL)	H	6	647	209	C	C	71	B
	15	195/65R15	95(XL)	T	6	635	201	C	C	71	B
	15	195/65R15	91	T	6	635	201	C	C	71	B
	15	185/65R15	88	T	5.5	621	189	D	C	71	B
	15	185/65R15	92(XL)	T	5.5	621	189	C	C	71	B
	15	175/65R15	88(XL)	H	5	609	177	C	C	71	B
	14	185/65R14	90(XL)	H	5.5	596	189	D	C	71	B
	14	175/65R14	86(XL)	T	5	584	177	C	C	71	B
	14	175/65R14	82	T	5	584	177	D	C	71	B
14	165/65R14	79	T	5	570	170	D	D	71	B	
13	155/65R13	73	T	4.5	532	157	D	D	71	B	
70'	14	165/70R14	81	T	5	589	170	D	D	71	B
	12	145/70R12	69	T	4.5	509	150	D	D	71	B
80'	15	195/80R15	96	T	5.5	693	196	C	C	71	B
	13	155/80R13	79	T	4.5	578	157	D	D	71	B

N/A : Values are not available at the time of publication
 *ZFMS =Zero Pressure Mobility System



Directional pattern design provides high traction and handling on snow and wet surface to prevent hydro-planing.



Designed For Commercial Car

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
VAN	15	225/70R15C	112/110	R	6.5	697	228	C	C	70	A
	15	215/70R15C	109/107	S	6.5	683	221	C	C	70	A
	15	215/65R15C	104/102	T	6.5	661	221	C	C	70	A
	15	205/65R15C	102/100	T	6	647	209	D	C	70	A
	15	195/70R15C	104/102	R	6	655	201	C	C	70	A
	14	195R14C	106/104	N	5.5	666	198	C	C	70	A
	14	185R14C	102/100	N	5.5	650	188	D	C	70	A
	13	155R13C	91/89	T	4.5	578	157	D	C	70	A
	12	155R12C	88/86	R	4.5	550	157	D	C	70	A


SL-6 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
VAN	17	215/60R17C	109/107	H	6.5	690	221	C	C	70	A
	16	235/65R16C	121/119	R	7	712	240	C	C	70	A
	16	235/65R16C	115/113	R	7	712	240	C	C	70	A
	16	225/75R16C	121/120	R	6	744	223	C	C	70	A
	16	225/65R16C	112/110	T	6.5	698	228	C	C	70	A
	16	215/75R16C	116/114	R	6	728	216	C	C	70	A
	16	215/75R16C	113/111	R	6	728	216	C	C	70	A
	16	215/65R16C	109/107	R	6.5	686	221	C	C	70	A
	16	215/60R16C	108/106	T	6.5	664	221	C	C	70	A
	16	205/75R16C	110/108	R	5.5	714	203	C	C	70	A
	16	205/65R16C	107/105	T	6	672	209	C	C	70	A
	16	195/75R16C	107/105	S	5.5	698	196	C	C	70	A
	16	195/75R16C	110/108	R	5.5	698	196	C	C	70	A
	16	195/65R16C	104/102	R	6	660	201	C	C	70	A
	16	195/60R16C	99/97	T	6	640	201	D	C	70	A

ASYMMETRIC



Superior handling in cold weather is provided by the asymmetric pattern design and special silica tread compound. Three dimensional sipe improves snow handling and ice traction performance. Multi-tiered shoulders enhance gripping and shoveling ability.



Designed For SUV

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
65'	18	235/65R18	110(XL)	H	7	763	240	C	C	72	B
	17	255/65R17	114(XL)	H	7.5	764	260	C	C	73	B
	17	245/65R17	111(XL)	H	7	750	248	C	C	72	B
	17	225/65R17	106(XL)	H	6.5	724	228	C	C	72	B
	17	215/65R17	99	H	6.5	712	221	C	C	71	B
70'	16	265/70R16	112	H	8	778	272	C	C	73	B
	16	245/70R16	111(XL)	H	7	750	248	C	C	72	B
	16	235/70R16	106	H	7	736	240	D	C	72	B
	16	225/70R16	103	H	6.5	722	228	D	C	72	B
	16	215/70R16	104(XL)	H	6.5	708	221	D	C	72	B
	15	205/70R15	100(XL)	H	6	669	209	C	C	72	B
80'	15	195/70R15	97(XL)	T	6	655	201	D	C	72	B
	16	205/80R16	104(XL)	H	5.5	734	203	D	C	72	B

SV-55 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
35'	20	315/35R20	110(XL)	V	11	728	320	C	B	74	B
	19	235/35ZR19	91(XL)	W	8.5	647	241	D	C	72	B
40'	20	275/40ZR20	106(XL)	W	9.5	728	278	D	C	73	B
	19	255/40R19	100(XL)	V	9	687	260	C	C	73	B
	19	245/40R19	98(XL)	V	8.5	679	248	D	C	72	B
	18	255/40R18	99(XL)	V	9	661	260	D	C	73	B
45'	20	275/45R20	110(XL)	V	9	756	273	D	C	73	B
	19	235/45R19	99(XL)	V	8	695	236	D	C	72	B
	18	255/45R18	103(XL)	V	8.5	687	255	D	C	73	B
50'	18	245/50R18	104(XL)	V	7.5	703	253	C	C	72	B
55'	19	255/55R19	111(XL)	V	8	763	265	C	C	73	B
	19	225/55R19	99	V	7	731	233	C	C	72	B
	18	235/55R18	104(XL)	H	7.5	715	245	C	C	72	B
60'	18	255/60R18	112(XL)	V	7.5	763	260	C	C	73	B
	18	225/60R18	104(XL)	V	6.5	727	228	C	C	72	B
	17	255/60R17	110(XL)	H	7.5	738	260	C	C	73	B
	17	235/60R17	106(XL)	V	7	714	240	C	C	72	B
	17	225/60R17	103(XL)	V	6.5	702	228	C	C	72	B
17	215/60R17	100(XL)	V	6.5	690	221	C	C	72	B	

ASYMMETRIC



Designed For Passenger Car



AW-1 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
40'	19	245/40R19	94	Q	8.5	679	248				N/A
	18	245/40R18	93	Q	8.5	653	248				N/A
	18	235/40R18	95(XL)	Q	8.5	645	241				N/A
	18	225/40R18	92(XL)	Q	8	637	230				N/A
45'	18	245/45R18	100(XL)	Q	8	677	243				N/A
	18	235/45R18	98(XL)	Q	8	669	236				N/A
	18	225/45R18	95(XL)	Q	7.5	659	225				N/A
	18	215/45R18	93(XL)	Q	7	651	213				N/A
	17	245/45R17	95	Q	8	652	243				N/A
	17	235/45R17	94	Q	8	644	236				N/A
	17	225/45R17	94(XL)	Q	7.5	634	225				N/A
	17	215/45R17	91(XL)	Q	7	626	213				N/A
50'	17	205/45R17	84	Q	7	616	206				N/A
	16	205/45R16	83	Q	7	590	206				N/A
	19	195/50R19	88	Q	6	679	201				N/A
	18	235/50R18	97	Q	7.5	693	245				N/A
	18	225/50R18	95	Q	7	683	233				N/A
	18	215/50R18	92	Q	7	673	226				N/A
	17	225/50R17	94	Q	7	658	233				N/A
	17	215/50R17	91	Q	7	648	226				N/A
	17	205/50R17	89	Q	6.5	638	214				N/A
	16	205/50R16	87	Q	6.5	612	214				N/A
	16	195/50R16	84	Q	6	602	201				N/A
15	195/50R15	82	Q	6	577	201				N/A	
15	165/50R15	72	Q	5	547	170				N/A	

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
55'	19	235/55R19	105(XL)	Q	7.5	741	245				N/A
	19	225/55R19	99	Q	7	731	233				N/A
	18	235/55R18	100	Q	7.5	715	245				N/A
	18	225/55R18	98	Q	7	705	233				N/A
	18	215/55R18	95	Q	7	693	226				N/A
	17	225/55R17	97	Q	7	680	233				N/A
	17	215/55R17	94	Q	7	668	226				N/A
	17	205/55R17	91	Q	6.5	658	214				N/A
	16	225/55R16	95	Q	7	654	233				N/A
	16	215/55R16	93	Q	7	642	226				N/A
	16	205/55R16	91	Q	6.5	632	214				N/A
	16	195/55R16	87	Q	6	620	201				N/A
	16	185/55R16	83	Q	6	610	194				N/A
	15	195/55R15	85	Q	6	595	201				N/A
	15	185/55R15	82	Q	6	585	194				N/A
	15	175/55R15	77	Q	5.5	573	182				N/A
	15	165/55R15	75	Q	5	563	170				N/A
	14	165/55R14	72	Q	5	538	170				N/A
14	155/55R14	69	Q	5	526	162				N/A	
60'	18	235/60R18	107(XL)	Q	7	739	240				N/A
	18	225/60R18	100	Q	6.5	727	228				N/A
	17	225/60R17	99	Q	6.5	702	228				N/A
	17	215/60R17	96	Q	6.5	690	221				N/A
	17	195/60R17	90	Q	6	666	201				N/A
	16	215/60R16	95	Q	6.5	664	221				N/A
	16	205/60R16	92	Q	6	652	209				N/A
	16	195/60R16	89	Q	6	640	201				N/A
	16	185/60R16	86	Q	5.5	628	189				N/A
	16	175/60R16	82	Q	5	616	177				N/A
	15	195/60R15	88	Q	6	615	201				N/A
	15	185/60R15	84	Q	5.5	603	189				N/A
	15	165/60R15	77	Q	5	579	170				N/A
	14	165/60R14	75	Q	5	554	170				N/A
65'	17	265/65R17	112	Q	8	776	272				N/A
	17	235/65R17	108(XL)	Q	7	738	240				N/A
	17	225/65R17	102	Q	6.5	724	228				N/A
	16	215/65R16	98	Q	6.5	686	221				N/A
	16	205/65R16	95	Q	6	672	209				N/A
	16	195/65R16	92	Q	6	660	201				N/A
	15	215/65R15	96	Q	6.5	661	221				N/A
	15	205/65R15	94	Q	6	647	209				N/A
	15	195/65R15	91	Q	6	635	201				N/A
	15	185/65R15	88	Q	5.5	621	189				N/A
	15	175/65R15	84	Q	5	609	177				N/A
	15	165/65R15	81	Q	5	595	170				N/A
	15	145/65R15	72	Q	4.5	569	150				N/A
	14	185/65R14	86	Q	5.5	596	189				N/A
	14	175/65R14	82	Q	5	584	177				N/A
	14	165/65R14	79	Q	5	570	170				N/A
14	155/65R14	75	Q	4.5	558	157				N/A	
13	165/65R13	77	Q	5	544	170				N/A	
13	155/65R13	73	Q	4.5	532	157				N/A	
70'	16	265/70R16	112	Q	8	778	272				N/A
	16	215/70R16	100	Q	6.5	708	221				N/A
	15	215/70R15	98	Q	6.5	683	221				N/A
	15	205/70R15	96	Q	6	669	209				N/A
	15	195/70R15	92	Q	6	655	201				N/A
	14	185/70R14	88	Q	5.5	616	189				N/A
	14	175/70R14	84	Q	5	602	177				N/A
	14	165/70R14	81	Q	5	588	170				N/A
	13	155/70R13	75	Q	4.5	548	157				N/A
	16	175/80R16	91	Q	5	686	175				N/A
80'	15	195/80R15	96	Q	5.5	693	196				N/A
	15	175/80R15	90	Q	5	661	175				N/A
	14	175/80R14	88	Q	5	636	177				N/A
	13	155/80R13	79	Q	4.5	578	157				N/A
	13	145/80R13	75	Q	4	562	144				N/A

ICE-2



HANDLING



ICE TRACTION



Designed For Passenger Car

ICE-2 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
40'	20	295/40R20	110(XL)	Q	10.5	744	301	N/A			
	20	275/40R20	106(XL)	T	9.5	728	278	C	C	72	B
45'	20	275/45R20	110(XL)	T	9	756	273	C	C	72	B
	20	265/45R20	108(XL)	Q	9	746	266	N/A			
	20	265/45R20	108(XL)	T	9	746	266	C	C	72	B
	20	245/45R20	103(XL)	T	8	728	243	C	C	72	B
	18	245/45R18	100(XL)	T	8	677	243	C	C	72	B
	18	235/45R18	98(XL)	T	8	669	236	C	C	72	B
	18	225/45R18	95(XL)	T	7.5	659	225	D	C	72	B
	19	235/50R19	103(XL)	T	7.5	719	245	C	C	72	B
50'	18	225/50R18	99(XL)	T	7	683	233	C	C	72	B
	18	235/55R18	104(XL)	T	7.5	715	245	C	C	72	B
55'	18	225/55R18	102(XL)	T	7	705	233	C	C	72	B
	17	215/55R17	98(XL)	T	7	668	226	C	C	72	B
	16	205/55R16	94(XL)	T	6.5	632	214	C	C	72	B
60'	18	235/60R18	107(XL)	T	7	739	240	C	C	72	B
	18	225/60R18	104(XL)	T	6.5	727	228	C	C	72	B
65'	17	215/65R17	103(XL)	T	6.5	712	221	C	C	72	B
	14	175/65R14	86(XL)	T	5	584	177	D	D	71	B

ICE-1



HANDLING




ICE TRACTION



ICE-1 is designed to reach high performance on snow and icy road conditions in Northern Europe.



Designed For Passenger Car



ICE-1 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
40'	18	245/40R18	97(XL)	Q	8.5	653	248	D	D	72	B
	18	225/40R18	92(XL)	Q	8	637	230	D	D	72	B
45'	19	245/45R19	102(XL)	Q	8	703	243	D	D	72	B
	17	235/45R17	97(XL)	Q	8	644	236	D	D	72	B
50'	17	225/45R17	94(XL)	Q	7.5	634	225	D	D	72	B
	19	255/50R19	107(XL)	Q	8	739	265	C	D	73	B
	17	225/50R17	98(XL)	Q	7	658	233	D	D	72	B
	17	215/50R17	95(XL)	Q	7	648	226	D	D	72	B
55'	19	255/55R19	111(XL)	Q	8	763	265	C	D	73	B
	19	235/55R19	105(XL)	Q	7.5	741	245	C	D	72	B
	17	235/55R17	103(XL)	Q	7.5	690	245	D	D	72	B
60'	17	225/55R17	101(XL)	Q	7	680	233	D	D	72	B
	15	185/55R15	86(XL)	Q	6	585	194	D	D	71	B
	19	175/60R19	86	Q	5	693	177	D	D	71	B
	17	225/60R17	103(XL)	Q	6.5	702	228	D	D	72	B
	17	215/60R17	100(XL)	Q	6.5	690	221	D	D	72	B
65'	16	215/60R16	99(XL)	Q	6.5	664	221	C	D	72	B
	16	205/60R16	96(XL)	Q	6	652	209	D	D	71	B
	15	185/60R15	88(XL)	Q	5.5	603	189	D	D	71	B
	17	235/65R17	108(XL)	Q	7	738	240	C	D	72	B
	17	225/65R17	106(XL)	Q	6.5	724	228	C	D	72	B
	16	215/65R16	102(XL)	Q	6.5	686	221	D	D	72	B
70'	15	195/65R15	95(XL)	Q	6	635	201	D	D	71	B
	15	185/65R15	92(XL)	Q	5.5	621	189	D	D	71	B
	14	185/65R14	90(XL)	Q	5.5	596	189	D	D	71	B
	19	155/70R19	84	Q	4.5	701	157	D	D	71	B
VAN	17	215/60R17C	109/107	Q	6.5	690	221	D	D	72	B
	16	235/65R16C	121/119	Q	7	712	240	D	D	72	B
	16	205/65R16C	107/105	Q	6	672	209	D	D	72	B
	15	195/70R15C	104/102	Q	6	655	201	D	D	72	B

ASYMMETRIC



Designed For Passenger Car

WS-1 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL				
								RRC	Wet Grip	Noise Value (dB)	Noise Class	
30'	21	315/30R21	105(XL)	H	11	723	320	N/A				
	21	315/30R21	105(XL)	Q	11	723	320	D	C	72	A	
	20	285/30R20	99(XL)	T	10	680	290	N/A				
35'	21	315/35R21	111(XL)	Q	11	753	320	D	C	72	A	
	21	315/35R21	111(XL)	H	11	753	320	N/A				
	21	275/35R21	103(XL)	Q	9.5	725	278	D	C	72	B	
	21	275/35R21	103(XL)	H	9.5	725	278	N/A				
	21	255/35R21	98(XL)	Q	9	711	260	N/A				
	21	255/35R21	98(XL)	H	9	711	260	N/A				
	20	295/35R20	105(XL)	T	10.5	714	301	N/A				
	20	295/35R20	105(XL)	Q	10.5	714	301	D	C	72	A	
	20	285/35R20	104(XL)	T	10	708	290	N/A				
	20	285/35R20	104(XL)	Q	10	708	290	N/A				
	19	275/35R19	96	T	9.5	675	278	N/A				
	19	275/35R19	96	Q	9.5	675	278	D	C	72	B	
	19	245/35R19	93(XL)	T	8.5	655	248	N/A				
	19	245/35R19	93(XL)	Q	8.5	655	248	D	C	72	B	
	18	255/35R18	94(XL)	Q	9	635	260	E	C	73	B	
40'	21	285/40R21	109(XL)	Q	10	761	290	D	C	72	A	
	21	285/40R21	109(XL)	H	10	761	290	N/A				
	*21	275/40RF21	107(XL)	Q	9.5	753	278	E	C	73	B	
	21	275/40R21	107(XL)	H	9.5	753	278	N/A				
	20	305/40R20	112(XL)	T	11	752	313	N/A				
	20	305/40R20	112(XL)	Q	11	752	313	D	C	72	A	
	20	285/40R20	108(XL)	T	10	736	290	N/A				
	20	285/40R20	108(XL)	Q	10	736	290	D	C	72	A	
	20	265/40R20	104(XL)	T	9.5	720	271	N/A				
	20	265/40R20	104(XL)	Q	9.5	720	271	D	C	72	B	
	20	255/40R20	101(XL)	T	9	712	260	N/A				
	20	255/40R20	101(XL)	Q	9	712	260	D	C	72	B	
	20	245/40R20	99(XL)	T	8.5	679	248	N/A				
	19	295/40R19	108(XL)	T	10.5	719	301	N/A				
	19	295/40R19	108(XL)	Q	10.5	719	301	N/A				
	19	285/40R19	103	T	10	711	290	N/A				
	19	285/40R19	103	Q	10	711	290	D	C	72	A	
	*19	275/40RF19	101	T	9.5	703	278	N/A				
	*19	275/40RF19	101	Q	9.5	703	278	E	C	73	B	
	19	255/40R19	100(XL)	T	9	687	260	N/A				
	19	255/40R19	100(XL)	Q	9	687	260	D	C	72	B	
19	245/40R19	98(XL)	T	8.5	679	248	N/A					
19	245/40R19	98(XL)	Q	8.5	679	248	D	C	72	B		
19	245/40R19	94	Q	8.5	679	248	N/A					
19	225/40R19	93(XL)	Q	8	663	230	D	C	72	B		
18	275/40R18	99	T	9.5	677	278	N/A					
18	275/40R18	99	Q	9.5	677	278	D	C	72	B		
18	255/40R18	99(XL)	T	9	661	260	N/A					
18	255/40R18	99(XL)	Q	9	661	260	D	C	72	B		
18	245/40R18	93	Q	8.5	653	248	N/A					


Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL				
								RRC	Wet Grip	Noise Value (dB)	Noise Class	
40'	18	235/40R18	95(XL)	Q	8.5	645	241	D	C	72	B	
	18	225/40R18	92(XL)	Q	8	637	230	N/A				
	18	215/40R18	89(XL)	Q	7.5	629	218	D	C	72	B	
45'	17	215/40R17	87(XL)	Q	7.5	604	218	D	C	72	B	
	17	205/40R17	84(XL)	Q	7.5	596	212	E	C	72	B	
	*21	285/45RF21	113(XL)	Q	9.5	789	285	E	C	73	B	
	21	285/45R21	113(XL)	H	9.5	789	285	N/A				
	21	255/45R21	105(XL)	Q	8.5	763	255	D	C	72	B	
	21	255/45R21	105(XL)	H	8.5	763	255	N/A				
	21	245/45R21	104(XL)	Q	8	753	243	D	C	72	B	
	21	245/45R21	104(XL)	H	8	753	243	N/A				
	20	285/45R20	112(XL)	T	9.5	764	285	N/A				
	20	285/45R20	112(XL)	Q	9.5	764	285	D	C	72	A	
	*20	275/45RF20	110(XL)	T	9	756	273	N/A				
	20	275/45R20	110(XL)	Q	9	756	273	D	C	72	B	
	20	265/45R20	104	T	9	746	266	N/A				
	20	255/45R20	101	T	8.5	738	255	N/A				
	20	255/45R20	101	Q	8.5	738	255	D	C	72	B	
20	235/45R20	100(XL)	T	8	720	236	N/A					
20	235/45R20	100(XL)	Q	8	720	236	N/A					
19	265/45R19	105(XL)	Q	9	721	266	N/A					
19	265/45R19	105(XL)	T	9	721	266	N/A					
19	255/45R19	100	Q	8.5	713	255	D	C	72	B		
19	255/45R19	100	T	8.5	713	255	N/A					
*19	245/45RF19	98	Q	8	703	243	E	C	72	B		
*19	245/45RF19	98	T	8	703	243	N/A					
19	225/45R19	96(XL)	Q	7.5	685	225	D	C	72	B		
19	225/45R19	96(XL)	T	7.5	685	225	N/A					
18	275/45R18	103	T	9	705	273	N/A					
18	275/45R18	103	Q	9	705	273	D	C	72	B		
18	255/45R18	99	T	8.5	687	255	N/A					
18	255/45R18	99	Q	8.5	687	255	N/A					
18	245/45R18	100(XL)	Q	8	677	243	N/A					
18	245/45R18	100(XL)	T	8	677	243	N/A					
18	235/45R18	98(XL)	Q	8	669	236	N/A					
18	225/45R18	95(XL)	Q	7.5	659	225	N/A					
17	235/45R17	94	Q	8	644	236	N/A					
17	225/45R17	94(XL)	Q	7.5	634	225	N/A					
17	215/45R17	91(XL)	Q	7	626	213	D	C	72	B		
17	205/45R17	84	Q	7	616	206	E	C	72	B		
16	205/45R16	83	Q	7	590	206	E	C	72	B		
16	195/45R16	80	Q	6.5	582	195	E	C	72	B		

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL				
								RRC	Wet Grip	Noise Value (dB)	Noise Class	
50'	21	275/50R21	113(XL)	H	8.5	809	284	N/A				
	21	275/50R21	113(XL)	Q	8.5	809	284	D	C	72	B	
	21	255/50R21	109(XL)	Q	8	789	265	N/A				
	21	255/50R21	109(XL)	H	8	789	265	N/A				
	20	285/50R20	116(XL)	T	9	794	297	N/A				
	20	285/50R20	116(XL)	Q	9	794	297	D	C	72	A	
	20	275/50R20	109	T	8.5	784	284	N/A				
	20	275/50R20	109	Q	8.5	784	284	N/A				
	20	265/50R20	111(XL)	T	8.5	774	275	N/A				
	20	265/50R20	111(XL)	Q	8.5	774	275	D	C	72	B	
	20	245/50R20	102	T	7.5	754	253	N/A				
	20	245/50R20	102	Q	7.5	754	253	D	C	72	B	
	20	235/50R20	105(XL)	T	7.5	744	245	N/A				
	20	235/50R20	105(XL)	Q	7.5	744	245	D	C	72	B	
	19	255/50R19	107(XL)	Q	8	739	265	C	C	73	B	
	*19	245/50RF19	105(XL)	Q	7.5	729	253	E	C	72	B	
	*19	245/50RF19	105(XL)	T	7.5	729	253	N/A				
	19	235/50R19	99	T	7.5	719	245	N/A				
	19	235/50R19	99	Q	7.5	719	245	N/A				
	19	195/50R19	88	Q	6	679	201	N/A				
	18	245/50R18	104(XL)	T	7.5	703	253	N/A				
18	245/50R18	104(XL)	Q	7.5	703	253	D	C	72	B		
18	235/50R18	97	Q	7.5	693	245	D	C	72	B		
18	225/50R18	95	T	7	683	233	N/A					
18	225/50R18	95	Q	7	683	233	N/A					
18	215/50R18	92	Q	7	673	226	D	C	72	B		
17	225/50R17	94	Q	7	658	233	N/A					
17	215/50R17	91	Q	7	648	226	N/A					
17	205/50R17	89	Q	6.5	638	214	D	C	72	B		
16	205/50R16	87	Q	6.5	612	214	D	C	72	B		
16	195/50R16	84	Q	6	602	201	E	C	72	B		
15	165/50R15	72	Q	5	547	170	N/A					
55'	19	275/55R19	111	Q	8.5	785	284	N/A				
	19	275/55R19	111	T	8.5	785	284	N/A				
	19	255/55R19	111(XL)	Q	8	763	265	N/A				
	19	245/55R19	107(XL)	T	7.5	753	253	N/A				
	19	245/55R19	107(XL)	Q	7.5	753	253	D	C	72	B	
	19	225/55R19	99	T	7	731	233	N/A				
	19	225/55R19	99	Q	7	731	233	D	C	72		

ASYMMETRIC



Designed For Passenger Car




ESSN-1 Size List


Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
30'	23	325/30R23	109(XL)	H	11.5	780	331				
	23	315/30R23	108(XL)	H	11	774	320				
	22	315/30R22	107(XL)	H	11	749	320				
	22	315/30R22	107(XL)	Q	11	749	320				
	21	305/30R21	104(XL)	H	11	717	313				
	23	325/35R23	115(XL)	H	11.5	812	331				
	23	325/35R23	115(XL)	Q	11.5	812	331				
	23	285/35R23	107(XL)	H	10	784	290				
	23	275/35R23	104(XL)	H	9.5	776	278				
	22	325/35R22	114(XL)	Q	11.5	787	331				
35'	22	325/35R22	114(XL)	H	11.5	787	331				
	22	315/35R22	111(XL)	Q	11	779	320				
	22	315/35R22	111(XL)	H	11	779	320				
	22	285/35R22	106(XL)	Q	10	759	290				
	22	285/35R22	106(XL)	H	10	759	290				
	22	275/35R22	104(XL)	Q	9.5	751	278				
	22	275/35R22	104(XL)	H	9.5	751	278				
	21	295/35R21	107(XL)	Q	10.5	739	301				
	21	295/35R21	107(XL)	H	10.5	739	301				
	21	265/35R21	101(XL)	H	9.5	719	271				
	21	245/35R21	96(XL)	H	8.5	705	248				
	20	315/35R20	110(XL)	T	11	728	320				
	20	315/35R20	110(XL)	Q	11	728	320				
	20	245/35R20	95(XL)	T	8.5	680	248				
	19	255/35R19	96(XL)	Q	9	661	260				
	19	255/35R19	96(XL)	T	9	661	260				
	18	255/35R18	94(XL)	Q	9	635	260				
	18	255/35R18	94(XL)	T	9	635	260				
40'	23	285/40R23	111(XL)	H	10	812	290				
	23	285/40R23	111(XL)	Q	10	812	290				
	22	325/40R22	114	H	11.5	819	331				
	22	325/40R22	114	Q	11.5	819	331				
	22	295/40R22	112(XL)	H	10.5	795	301				
	22	295/40R22	112(XL)	Q	10.5	795	301				
	22	285/40R22	110(XL)	H	10	787	290				
	22	285/40R22	110(XL)	Q	10	787	290				
	22	275/40R22	107(XL)	Q	9.5	779	278				
	22	275/40R22	107(XL)	H	9.5	779	278				
	22	265/40R22	106(XL)	Q	9.5	771	271				
	22	265/40R22	106(XL)	H	9.5	771	271				
	21	315/40R21	111	H	11	785	320				
	21	295/40R21	111(XL)	Q	10.5	769	301				
	21	295/40R21	111(XL)	H	10.5	769	301				
	20	275/40RF20	106(XL)	Q	9.5	728	278				
	20	275/40R20	106(XL)	T	9.5	728	278				
	19	245/40R19	94	Q	8.5	679	248				
	18	255/40R18	99(XL)	T	9	661	260				
	18	245/40R18	93	T	8.5	653	248				
18	245/40R18	93	Q	8.5	653	248					
18	235/40R18	95(XL)	T	8.5	645	241					
18	235/40R18	95(XL)	Q	8.5	645	241					
18	225/40R18	92(XL)	T	8	637	230					
18	225/40R18	92(XL)	Q	8	637	230					
18	205/40R18	86(XL)	Q	7.5	621	212					
18	205/40R18	86(XL)	T	7.5	621	212					
45'	22	285/45R22	114(XL)	H	9.5	815	285				
	22	275/45R22	112(XL)	H	9	807	273				
	22	255/45R22	107(XL)	Q	8.5	789	255				
	22	255/45R22	107(XL)	H	8.5	789	255				
	21	285/45R21	113(XL)	H	9.5	789	285				
	21	275/45R21	110(XL)	H	9	781	273				
	21	275/45R21	110(XL)	Q	9	781	273				
	21	265/45R21	104	H	9	771	266				
	20	245/45RF20	103(XL)	Q	8	728	243				
	20	245/45RF20	103(XL)	T	8	728	243				
	20	215/45R20	95(XL)	T	7	702	213				
	19	235/45R19	95	Q	8	695	236				
	19	235/45R19	95	T	8	695	236				
	18	245/45R18	100(XL)	T	8	677	243				
	18	235/45R18	98(XL)	T	8	669	236				
	18	225/45R18	95(XL)	Q	7.5	659	225				
	18	225/45R18	95(XL)	T	7.5	659	225				
	17	235/45R17	94	Q	8	644	236				
17	225/45R17	94(XL)	Q	7.5	634	225					
17	205/45R17	84	Q	7	616	206					
16	205/45R16	83	Q	7	590	206					
16	195/45R16	80	Q	6.5	582	195					

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL				
								RRC	Wet Grip	Noise Value (dB)	Noise Class	
50'	22	275/50R22	111	H	8.5	835	284					
	22	275/50R22	111	Q	8.5	835	284					
	22	265/50R22	109	Q	8.5	825	277					
	22	265/50R22	109	H	8.5	825	277					
	21	235/50R21	101	Q	7.5	769	245					
	21	235/50R21	101	H	7.5	769	245					
	20	255/50R20	109(XL)	T	8	764	265					
	20	255/50R20	109(XL)	Q	8	764	265					
	19	275/50R19	112(XL)	T	8.5	759	284					
	19	275/50R19	112(XL)	Q	8.5	759	284					
	19	255/50R19	107(XL)	T	8	739	265					
	19	255/50R19	107(XL)	Q	8	739	265					
	18	235/50R18	97	T	7.5	693	245					
	18	235/50R18	97	Q	7.5	693	245					
	18	215/50R18	92	T	7	673	226					
	17	225/50R17	94	Q	7	658	233					
	17	215/50R17	91	Q	7	648	226					
	17	205/50R17	89	Q	6.5	638	214					
	16	205/50R16	87	Q	6.5	612	214					
	16	195/50R16	84	Q	6	602	201					
15	195/50R15	82	Q	6	577	201						
55'	20	275/55R20	113	T	8.5	810	284					
	20	265/55R20	113(XL)	T	8.5	800	277					
	20	255/55R20	110(XL)	T	8	788	265					
	20	255/55R20	110(XL)	Q	8	788	265					
	20	235/55R20	105(XL)	T	7.5	766	245					
	20	235/55R20	105(XL)	Q	7.5	766	245					
	19	265/55R19	113(XL)	T	8.5	775	277					
	19	265/55R19	113(XL)	Q	8.5	775	277					
	19	255/55R19	111(XL)	T	8	763	265					
	19	255/55R19	111(XL)	Q	8	763	265					
	19	235/55R19	105(XL)	T	7.5	741	245					
	18	255/55R18	109(XL)	Q	8	737	265					
	18	235/55R18	100	T	7.5	715	245					
	18	225/55R18	98	T	7	705	233					
	18	215/55R18	95	T	7	693	226					
	18	215/55R18	95	Q	7	693	226					
	17	225/55R17	97	Q	7	680	233					
	17	215/55R17	94	Q	7	668	226					
	17	205/55R17	91	Q	6.5	658	214					
	16	205/55R16	91	Q	6.5	632	214					
16	195/55R16	87	Q	6	620	201						
16	185/55R16	83	Q	6	610	194						
15	195/55R15	85	Q	6	595	201						
15	175/55R15	77	Q	5.5	573	182						
14	185/55R14	80	Q	6	560	194						
60'	19	255/60R19	109	T	7.5	789	260					
	18	285/60R18	116	T	8.5	799	292					
	18	285/60R18	116	Q	8.5	799	292					
	17	225/60R17	99	Q	6.5	702	228					
	17	215/60R17	96	Q	6.5	690	221					
	16	235/60R16	100	Q	7	688	240					
	16	225/60R16	98	Q	6.5	676	228					
	16	215/60R16	95	Q	6.5	664	221					
	16	195/60R16	89	Q	6	640	201					
	16	185/60R16	86	Q	5.5	628	189					
	15	205/60R15	91	Q	6	627	209					
	15	185/60R15	84	Q	5.5	603	189					
	15	175/60R15	81	Q	5	591	177					
	15	155/60R15	74	Q	4.5	567	157					
	14	185/60R14	82	Q	5.5	578	189					
	14	175/60R14	79	Q	5	566	177					
	65'	17	235/65R17	108(XL)	Q	7	738	240				
		17	225/65R17	102	Q	6.5	724	228				
15		195/65R15	91									

SNC-I



Designed For Commercial Car



SNC-1 Size List


Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
VAN	18	225/50R18C	107/105	Q	7	683	233			N/A	
	17	215/60R17C	109/107	Q	6.5	690	221			N/A	
	16	215/75R16C	116/114	Q	6	728	216			N/A	
	16	215/65R16C	109/107	Q	6.5	686	221			N/A	
	15	215/70R15C	109/107	Q	6.5	683	221			N/A	
	15	195/80R15C	107/105	L	5.5	693	196			N/A	
	15	195/70R15C	104/102	N	6	655	201			N/A	
	14	195R14C	106/104	N	5.5	666	198			N/A	
	14	185R14C	102/100	N	5.5	650	188			N/A	
	13	165R13C	94/92	N	4.5	596	167			N/A	

N/A : Values are not available at the time of publication


IV-I



STUDDABLE



Designed For Commercial Car



IV-1 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
VAN	16	235/65R16C	121/119	R	7	712	240	D	C	72	B
	16	215/75R16C	113/111	R	6	728	216	D	C	72	B
	16	215/65R16C	109/107	R	6.5	686	221	D	C	72	B
	16	205/75R16C	110/108	R	5.5	714	203	D	C	72	B
	16	205/65R16C	107/105	R	6	672	209	D	C	72	B
	15	225/70R15C	112/110	R	6.5	697	228	D	C	72	B
	15	195/70R15C	104/102	R	6	655	201	D	C	72	B
	14	195R14C	106/104	R	5.5	666	198	D	C	72	B
	14	185R14C	102/100	Q	5.5	650	187	D	C	72	B
	13	195/50R13C	104/101	N	6	526	201	D	C	72	B
	13	175R13C	97/95	Q	5	608	178	D	C	72	B
	13	165R13C	94/92	Q	4.5	596	167	D	C	72	B
	13	155R13C	90/88	Q	4.5	578	157	E	C	72	B

N/A : Values are not available at the time of publication

ICE ACTIVA — SNC-I

ICE ACTIVA — IV-I

SW-9



STUDDABLE



Designed For Passenger Car

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL				
								RRC	Wet Grip	Noise Value (dB)	Noise Class	
40'	19	255/40R19	100(XL)	T	9	687	260					
	18	235/40R18	95(XL)	T	8.5	645	241					
45'	19	245/45R19	102(XL)	Q	8	703	243					
	18	235/45R18	98(XL)	T	8	669	236					
50'	17	235/45R17	97(XL)	T	8	644	236					
	20	285/50R20	116(XL)	Q	9	794	297					
55'	19	255/50R19	107(XL)	T	8	739	265					
	18	245/50R18	104(XL)	T	7.5	703	253					
60'	18	225/50R18	99(XL)	T	7	683	233					
	17	215/50R17	95(XL)	T	7	648	226					
65'	16	205/55R16	94(XL)	T	6.5	632	214					
	18	265/60R18	110	Q	8	775	272					
70'	17	235/60R17	106(XL)	T	7	714	240					
	17	215/60R17	100(XL)	T	6.5	690	221					
75'	16	225/60R16	102(XL)	T	6.5	676	228					
	17	215/65R17	103(XL)	T	6.5	712	221					
80'	15	175/65R15	88(XL)	T	5	609	177					


SW-8



STUDDABLE



Designed For Passenger Car



Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
35'	19	235/35R19	91(XL)	H	8.5	647	241	D	D	72	B
	19	235/35R19	91(XL)	Q	8.5	647	241	N/A			
40'	18	225/40R18	92(XL)	T	8	637	230	N/A			
	18	245/45R18	100(XL)	T	8	677	243	D	D	72	B
45'	18	225/45R18	95(XL)	T	7.5	659	225	D	D	72	B
	17	225/45R17	94(XL)	T	7.5	634	225	D	D	72	B
50'	17	215/45R17	91(XL)	T	7	626	213	D	D	72	B
	19	235/50R19	103(XL)	T	7.5	719	245	D	D	72	B
55'	17	225/50R17	98(XL)	T	7	658	233	N/A			
	17	205/50R17	93(XL)	T	6.5	638	214	D	D	72	B
60'	15	195/50R15	82	T	6	577	201	N/A			
	19	235/55R19	105(XL)	T	7.5	741	245	C	D	72	B
65'	19	225/55R19	103(XL)	T	7	731	233	C	D	72	B
	18	255/55R18	109(XL)	T	8	737	265	C	D	72	B
70'	18	235/55R18	104(XL)	T	7.5	715	245	C	D	72	B
	18	225/55R18	102(XL)	T	7	705	233	D	D	72	B
75'	18	215/55R18	99(XL)	T	7	693	226	D	D	72	B
	17	215/55R17	98(XL)	T	7	668	226	C	D	72	B
80'	16	215/55R16	97(XL)	T	7	642	226	D	D	72	B
	16	205/55R16	94(XL)	T	6.5	632	214	D	D	72	B
85'	16	195/55R16	91(XL)	T	6	620	201	D	D	72	B
	15	195/55R15	89(XL)	T	6	595	201	D	D	72	B
90'	15	185/55R15	86(XL)	T	6	585	194	N/A			
	18	235/60R18	107(XL)	T	7	739	240	D	D	72	B
95'	18	225/60R18	104(XL)	T	6.5	727	228	D	D	72	B
	17	225/60R17	103(XL)	T	6.5	702	228	C	D	72	B
100'	16	215/60R16	99(XL)	T	6.5	664	221	D	D	72	B
	16	205/60R16	96(XL)	T	6	652	209	D	D	72	B
105'	15	185/60R15	88(XL)	T	5.5	603	189	D	D	71	B
	17	275/65R17	119(XL)	T	8	790	279	C	D	72	B
110'	17	235/65R17	108(XL)	T	7	738	240	D	D	72	B
	17	225/65R17	106(XL)	T	6.5	724	228	D	D	72	B
115'	16	215/65R16	102(XL)	T	6.5	686	221	N/A			
	15	215/65R15	100(XL)	T	6.5	661	221	D	D	72	B
120'	15	205/65R15	99(XL)	T	6	647	209	D	D	72	B
	15	195/65R15	95(XL)	T	6	635	201	N/A			
125'	15	185/65R15	92(XL)	T	5.5	621	189	N/A			
	14	185/65R14	90(XL)	T	5.5	596	189	D	D	71	B
130'	14	175/65R14	86(XL)	T	5	584	177	N/A			
	14	155/65R14	75	T	4.5	558	157	D	D	71	B
135'	16	215/70R16	100	T	6.5	708	221	D	D	72	B
	13	155/70R13	75	T	4.5	548	157	N/A			

WA-I




ICE TRACTION

LOADING

TAIWAN EXCELLENCE 2016

Designed For 4WD



WA-1 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
65'	18	265/65R18	114	Q	8	801	272				N/A
	17	LT315/70R17	121/118	S	9.5	874	323				N/A
	17	LT245/70R17	114/110	Q	7	776	248				N/A
	16	LT315/75R16	121	N	8.5	878	313				N/A
	16	LT305/70R16	118/115	N	9	834	311				N/A
	16	LT285/75R16	122/119	N	8	834	286				N/A
	15	35*12.50R15LT	113	N	10	877	318				N/A
	15	33*12.50R15LT	108	N	10	826	318				N/A
	15	32*11.50R15LT	113	N	9	801	290				N/A

N/A : Values are not available at the time of publication

IA-I



STUDDABLE




HANDLING

ICE TRACTION

STUDDABLE

Designed For 4WD




IA-1 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
4WD	16	LT315/75R16	121	Q	8.5	878	313				N/A
	16	LT305/70R16	118/115	Q	9	834	311				N/A
	16	LT285/75R16	122/119	Q	8	834	286				N/A
	15	35*12.50R15LT	113	Q	10	877	318				N/A
	15	33*12.50R15LT	108	Q	10	826	318				N/A
	15	32*11.50R15LT	113	Q	9	801	290				N/A

N/A : Values are not available at the time of publication



The advanced handling of **AW-6** helps drivers to feel ease and security on diverse weather conditions all year round.



Designed For Passenger Car

AW-6 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
35'	19	255/35ZR19	96(XL)	Y	9	661	260	C	B	72	B
	19	235/35ZR19	91(XL)	Y	8.5	647	241	D	B	72	B
	20	275/40ZR20	106(XL)	Y	9.5	728	278	C	B	73	B
	19	245/40ZR19	98(XL)	Y	8.5	679	248	C	B	72	B
	19	235/40ZR19	96(XL)	Y	8.5	671	241	C	B	72	B
40'	19	225/40ZR19	93(XL)	Y	8	663	230	C	B	72	B
	18	245/40ZR18	97(XL)	Y	8.5	653	248	C	B	72	B
	18	235/40ZR18	95(XL)	Y	8.5	645	241	C	B	72	B
	18	225/40ZR18	92(XL)	Y	8	637	230	C	B	72	B
	18	225/40R18	92(XL)	V	8	637	230	C	B	72	B
	17	215/40ZR17	87(XL)	W	7.5	604	218	D	B	72	B
	20	255/45ZR20	105(XL)	Y	8.5	738	255	C	B	72	B
	19	245/45ZR19	102(XL)	Y	8	703	243	C	B	72	B
	19	235/45ZR19	99(XL)	W	8	695	236	C	B	72	B
	19	225/45ZR19	96(XL)	W	7.5	685	225	C	B	72	B
45'	18	245/45ZR18	100(XL)	Y	8	677	243	C	B	72	B
	18	235/45ZR18	98(XL)	Y	8	669	236	C	B	72	B
	18	225/45ZR18	95(XL)	Y	7.5	659	225	C	B	72	B
	18	215/45ZR18	93(XL)	Y	7	649	209	D	B	72	B
	17	245/45ZR17	99(XL)	Y	8	652	243	C	B	72	B
	17	235/45R17	97(XL)	V	8	644	236	C	B	72	B
	17	225/45ZR17	94(XL)	W	7.5	634	225	C	B	72	B
	17	215/45ZR17	91(XL)	W	7	626	213	C	B	72	B
	17	205/45R17	88(XL)	V	7	616	206	C	B	72	B
	16	215/45R16	90(XL)	V	7	600	213	C	B	72	B
	20	235/50ZR20	104(XL)	W	7.5	744	245	B	B	72	B
	19	255/50ZR19	107(XL)	Y	8	739	263	B	B	73	B
19	235/50ZR19	103(XL)	W	7.5	719	245	C	B	72	B	
18	235/50ZR18	101(XL)	Y	7.5	693	245	C	B	72	B	
18	225/50R18	99(XL)	V	7	683	233	C	B	72	B	
18	215/50ZR18	92	W	7	673	226	C	B	71	B	
17	225/50R17	98(XL)	V	7	658	233	C	B	72	B	
17	215/50ZR17	95(XL)	W	7	648	226	C	B	72	B	
17	215/50R17	95(XL)	V	7	648	226	C	B	72	B	
17	205/50R17	93(XL)	V	6.5	638	214	C	B	72	B	
15	195/50R15	82	V	6	577	201	C	B	71	B	

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
55'	19	235/55ZR19	105(XL)	W	7.5	741	245	B	B	72	B
	19	225/55ZR19	103(XL)	W	7	731	233	B	B	72	B
	18	255/55R18	109(XL)	V	8	737	265	C	B	72	B
	18	235/55R18	104(XL)	V	7.5	715	245	B	B	72	B
	18	225/55R18	102(XL)	V	7	705	233	C	B	72	B
	18	215/55R18	99(XL)	V	7	693	226	C	B	72	B
	17	235/55R17	103(XL)	V	7.5	690	245	C	B	72	B
	17	225/55R17	101(XL)	V	7	680	233	B	B	72	B
	17	215/55ZR17	98(XL)	W	7	668	226	C	B	72	B
	17	205/55R17	95(XL)	V	6.5	658	214	C	B	72	B
	16	225/55R16	99(XL)	V	7	654	233	C	B	72	B
	16	215/55R16	97(XL)	V	7	642	226	C	B	72	B
	16	205/55R16	94(XL)	V	6.5	632	214	C	B	72	B
	16	195/55R16	91(XL)	V	6	620	201	C	B	72	B
	15	195/55R15	89(XL)	V	6	595	201	C	B	72	B
15	185/55R15	86(XL)	H	6	585	194	C	C	71	B	
60'	18	235/60ZR18	107(XL)	W	7	739	240	B	B	72	B
	18	225/60ZR18	104(XL)	W	6.5	727	228	C	B	72	B
	18	195/60R18	96(XL)	V	6	691	201	C	B	72	B
	17	235/60R17	106(XL)	V	7	714	240	C	B	72	B
	17	225/60R17	103(XL)	V	6.5	702	228	B	B	72	B
	17	215/60R17	100(XL)	V	6.5	690	221	B	B	72	B
	16	225/60ZR16	102(XL)	W	6.5	676	228	C	B	72	B
	16	215/60R16	99(XL)	V	6.5	664	221	C	B	72	B
	16	205/60R16	96(XL)	V	6	652	209	C	B	72	B
	16	195/60R16	93(XL)	V	6	640	201	C	B	72	B
	16	175/60R16	82	H	5	616	177	D	C	70	B
	15	205/60R15	95(XL)	H	6	629	206	C	B	72	B
	15	195/60R15	88	H	6	615	201	C	B	71	B
	15	185/60R15	88(XL)	H	5.5	603	189	C	C	71	B
14	185/60R14	82	H	5.5	578	189	C	C	70	B	
65'	17	235/65R17	108(XL)	V	7	738	240	B	B	72	B
	17	225/65R17	106(XL)	V	6.5	724	228	C	B	72	B
	17	215/65R17	103(XL)	V	6.5	712	221	B	B	72	B
	17	175/65R17	87	V	5	660	177	D	C	71	B
	16	215/65R16	102(XL)	V	6.5	686	221	B	B	72	B
	15	205/65R15	99(XL)	V	6	647	209	C	B	72	B
	15	195/65R15	95(XL)	V	6	635	201	C	B	72	B
	15	185/65R15	92(XL)	H	5.5	621	189	C	C	71	B
	15	175/65R15	88(XL)	H	5	609	177	C	C	71	B
	14	185/65R14	86	H	5.5	596	189	C	C	70	B
14	175/65R14	82	H	5	584	177	C	C	70	B	
14	165/65R14	79	T	5	570	170	D	C	70	B	
70'	16	215/70R16	100	H	6.5	708	221	C	B	72	B
	14	175/70R14	88(XL)	T	5	602	177	C	C	71	B
	14	165/70R14	85(XL)	T	5	588	170	C	C	71	B
	13	175/70R13	82	T	5	576	177	D	C	70	B
	13	165/70R13	83(XL)	T	5	562	170	D	C	71	B
80'	13	155/70R13	75	T	4.5	548	157	D	C	71	B
	14	175/80R14	88	T	5	636	176	D	C	71	B

N/A : Values are not available at the time of publication


ALL SEASON



COMFORT



Designed For Commercial Car



AW-8 Size List

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
	18	235/55R18C	117/115	R	7.5	715	245	D	B	73	B
	17	215/60R17C	109/107	H	6.5	690	221	C	B	70	A
	16	235/65R16C	121/119	T	7	712	240	C	B	70	A
	16	225/75R16CP	118/116	R	6	744	223	C	B	70	A
	16	225/75R16C	121/120	R	6	744	223	C	B	70	A
	16	225/65R16C	112/110	T	6.5	698	228	C	B	70	A
	16	215/75R16C	116/114	R	6	728	216	C	B	70	A
	16	215/65R16C	109/107	T	6.5	686	221	C	B	70	A
	16	215/60R16C	108/106	T	6.5	664	221	C	B	70	A
	16	205R16C	110/108	T	6	736	208			N/A	
	16	205/75R16C	113/111	T	5.5	714	203			N/A	
	16	205/75R16C	110/108	T	5.5	714	203			N/A	
	16	205/65R16C	107/105	T	6	672	209	C	B	70	A
	16	195/75R16C	110/108	R	5.5	698	196	C	B	70	A
	16	195/75R16C	107/105	R	5.5	698	196	C	B	70	A
	16	195/65R16C	104/102	T	6	660	201	C	B	70	A
	16	195/60R16C	99/97	H	6	640	201	C	B	70	A
	15	225/70R15C	112/110	T	6.5	697	228	C	B	70	A
	15	215/70R15CP	109/107	R	6.5	683	221	C	B	70	A
	15	215/70R15C	109/107	T	6.5	683	221	C	B	70	A
	15	215/65R15C	104/102	T	6.5	661	221	C	B	70	A
	15	205/70R15C	106/104	R	6	669	209	C	B	70	A
	15	195/70R15C	104/102	R	6	655	201	C	B	70	A
	15	185/65R15C	97/95	S	5.5	621	189			N/A	
	14	195R14C	106/104	S	5.5	666	198	D	B	70	A
	14	185R14C	102/100	R	5.5	650	188	D	B	70	A
	14	185/75R14C	102/100	S	5	634	184			N/A	
	14	175/70R14C	95/93	T	5	602	177	D	B	70	A
	13	155R13C	91/89	T	4.5	578	157	D	B	70	A

ALL SEASON — AW-8