

CAR / SUV / 4X4 / LIGHT TRUCK

SUMMER TYRES 2025



© AUDI AG



e. ZIEX

Tailored to the needs
of electric vehicles
See page 17

FALKEN

CONTENTS

PAGE 3	THE FALKEN BRAND
PAGE 4	OUR SUCCESSES
PAGE 5	CAR AND SUV SUMMER TYRES
PAGE 6	AZENIS RS820
PAGE 8	AZENIS FK520 FEXM
PAGE 9	AZENIS FK520
PAGE 13	AZENIS FK510
PAGE 14	AZENIS FK510 SUV
PAGE 15	FK453CC
PAGE 17	e. ZIEX
PAGE 20	ZIEX ZE320
PAGE 22	ZIEX ZE310 ECORUN
PAGE 25	ZIEX ZE310 ECORUN FEXM
PAGE 26	ZIEX ZE914 ECORUN
PAGE 29	SINCERA SN110
PAGE 32	SINCERA SN832 ECORUN
PAGE 32	FK090
PAGE 34	LIGHT TRUCK SUMMER TYRES
PAGE 34	LINAM VAN01
PAGE 36	SUSTAINABILITY
PAGE 38	PRODUCT DETAILS – HIGHLIGHTS
PAGE 42	EU LABELLING
PAGE 43	OE AND OEM PARTNERSHIPS

THE FALKEN BRAND

The immense potential of Falken's tyres is created by the latest development technologies, state-of-the-art engineering facilities, test tracks throughout the world that replicate all major road and weather conditions as well as international know-how honed by more than one hundred years of manufacturing tyres. The Falken brand was established in 1983 in its home country of Japan, initially as a flagship brand of high-performance radial tyres. Today, more than four decades later, Falken offers quality products throughout Europe that stand for the highest level of performance, innovation and driving pleasure.



5-YEAR FALKEN GUARANTEE

"Falken tyres are developed and produced to the highest quality standards. Your trust in the quality of our services is the basis for our success."
www.falkentyre.com/en/service/warranty



FALKEN

OUR SUCCESSES

The high quality of our tyre products is confirmed to us over and over again – by our many satisfied customers, but also by the high scores and positive results from a host of independent tyre tests. This information delivers constant endorsement that Falken tyres fulfil all the rigorous standards for premium tyres. The tests also regularly confirm Falken’s status as one of the brands offering top value for money. Here is a selection of our test results.

EUROWINTER H502 PRO ZIEX ZE320



AZENIS FK520



e. ZIEX



WILDPEAK A/T AT3WA



HIGH TECH EXPERTISE

Crisp, precise handling, outstanding stability and top-class control at all speeds. Uncompromising dynamics at its best.



AZENIS RS820

Legacy reinvented: The new generation of ultra ultra-high performance



AZENIS FK520 FEHM

From racetrack to road – the latest generation with emergency running properties



AZENIS FK520

From racetrack to road – the latest generation



AZENIS FK510

From racetrack to road

For more product details, see pages 38–41.

- Dry Performance
- Wet Performance
- Comfort
- Dynamic Response
- Low Noise



AZENIS RS820

The ultimate high-performance tyres for sporty vehicles, developed to enhance driving pleasure to the max and provide safety and sustainability in the UUHP tyre sector. Ideal for sporty vehicles and performance-oriented drivers.

FEATURES AND BENEFITS

- Ultra-precise handling ensures outstanding stability and control at all speeds
- For ambitious sports car drivers that demand exceptional performance from their tyres
- Aramid reinforcements in the tyre structure – high-tech solution from the world of motorsports
- Well balanced performance between dry handling for sporty drivers and everyday safety in wet conditions
- Aerodynamic sidewall design with new Nano-Black lettering

RANGE OF SIZES

- 41 Sizes
- 19 – 21 Inches
- Series 30 – 45
- Speed index: Y / (Y)

See page 7–8 for detailed information.

ORIGINAL EQUIPMENT

Audi S3

PERFORMANCE ADVANTAGES

 **Dry Performance**

 **Wet Performance**

 **Low Noise**

 **Dynamic Response**




 **Comfort**



AZENIS RS820

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 30								
255/30ZR19	91(Y) XL	✓		D	A	B	72	MFS
285/30ZR19	98(Y) XL	✓		D	A	A	72	MFS
295/30ZR19	100Y XL	✓		To be announced ¹				MFS
305/30ZR19	102(Y) XL	✓		C	A	B	74	MFS
245/30ZR20	90(Y) XL	✓		D	A	B	72	MFS
265/30ZR20	94(Y) XL	✓		D	A	B	72	MFS
275/30ZR20	97(Y) XL	✓		D	A	B	72	MFS
285/30ZR20	99(Y) XL	✓		D	A	A	72	MFS
295/30ZR20	101(Y) XL	✓		D	A	A	72	MFS
305/30ZR20	103(Y) XL	✓		C	A	B	74	MFS
265/30ZR21	96(Y) XL	✓		D	A	B	71	MFS
295/30ZR21	102(Y) XL	✓		C	A	B	74	MFS
305/30ZR21	104(Y) XL	✓		C	A	B	74	MFS
315/30ZR21	105(Y) XL	✓		C	A	B	74	MFS
325/30ZR21	108(Y) XL	✓		To be announced ¹				MFS
SERIES 35								
225/35ZR19	88(Y) XL	✓		D	A	B	70	MFS
235/35R19	91Y XL	✓		To be announced ¹				MFS, OE Audi S3
235/35ZR19	91(Y) XL	✓		D	A	B	70	MFS
245/35ZR19	93(Y) XL	✓		D	A	B	70	MFS
255/35ZR19	96(Y) XL	✓		D	A	A	70	MFS
265/35ZR19	98(Y) XL	✓		D	A	B	72	MFS
275/35ZR19	100(Y) XL	✓		D	A	B	73	MFS
295/35ZR19	104(Y) XL	✓		C	A	A	72	MFS
245/35ZR20	95(Y) XL	✓		D	A	B	72	MFS
255/35ZR20	97(Y) XL	✓		D	A	B	72	MFS
265/35ZR20	99(Y) XL	✓		D	A	B	72	MFS
275/35ZR20	102(Y) XL	✓		D	A	B	72	MFS
285/35ZR20	104(Y) XL	✓		C	A	A	72	MFS
295/35ZR20	105(Y) XL	✓		C	A	A	72	MFS
275/35ZR21	103(Y) XL	✓		C	A	B	72	MFS
SERIES 40								
225/40ZR19	93(Y) XL	✓		D	A	B	70	MFS
235/40ZR19	96(Y) XL	✓		D	A	B	70	MFS
245/40ZR19	98(Y) XL	✓		D	A	B	70	MFS
255/40ZR19	100(Y) XL	✓		C	A	B	72	MFS
265/40ZR19	102(Y) XL	✓		C	A	B	72	MFS
275/40ZR19	105(Y) XL	✓		C	A	B	72	MFS


LI = Load index SI = Speed index MFS = Rim Protection


¹Any label details that are not yet specified here can be viewed on www.falkentyre.com or requested from your local dealer as the corresponding tyres become available. All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

 Fuel efficiency°

 External rolling noise°

 Wet grip°

 dB Value (expressed in dB(A)) for external rolling noise°

°In accordance with EU regulation 2020/740

²The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.

AZENIS RS820



CAR AND SUV SUMMER TYRES

Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 40								
245/40ZR20	99(Y) XL	✓		C	A	B	72	MFS
255/40ZR20	101(Y) XL	✓		D	A	B	72	MFS
SERIES 45								
225/45ZR19	96(Y) XL	✓		C	A	B	70	MFS
245/45ZR19	102(Y) XL	✓		C	A	B	70	MFS
255/45ZR19	104(Y) XL		✓	C	A	A	70	MFS

AZENIS FK520 FE XM



CAR AND SUV SUMMER TYRES

Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 35								
255/35R19	96Y XL	✓		C	A	B	71	MFS
275/35R19	100Y XL	✓		C	A	B	72	MFS
275/35R20	102Y XL	✓		C	A	B	71	MFS
SERIES 40								
255/40R18	99Y XL	✓		C	A	B	71	MFS
275/40R18	103Y XL	✓		C	A	B	71	MFS
225/40R19	93Y XL	✓		C	A	B	71	MFS
245/40R19	98Y XL	✓		C	A	B	71	MFS
275/40R19	105Y XL	✓		C	A	B	71	MFS
245/40R20	99Y XL	✓		C	A	B	71	MFS
SERIES 45								
225/45R18	95Y XL	✓		C	A	B	71	MFS
245/45R18	100Y XL		✓	C	A	B	71	MFS
225/45R19	96W XL	✓		C	A	B	71	MFS
245/45R19	102Y XL	✓		C	A	B	71	MFS
SERIES 50								
245/50R18	104Y XL	✓		C	A	B	71	

LI = Load index SI = Speed index MFS = Rim Protection
 All labelling and technical information are subject to industry standard tolerances.
 We reserve the right to make technical changes. Labelling information may be subject to change.

Fuel efficiency[°] External rolling noise[°]
 Wet grip[°] Value (expressed in dB(A)) for external rolling noise[°]

[°]In accordance with EU regulation 2020/740

[°]The energy efficiency classes of these products are given using the following scales:
 fuel efficiency A to E; wet grip A to E; external noise A to C.



AZENIS FK520

Presenting Falken's AZENIS FK520 Ultra-High-Performance Tyre – next-generation racetrack technology for the road. Our newest UHP tyre is the successor to our best-selling AZENIS FK510, offering an outstanding combination of grip, reliability, performance and efficiency.

FEATURES AND BENEFITS

- Precise handling ensuring outstanding stability and control at all speeds
- Enhanced safety – shorter braking distances in wet and dry conditions
- Comfortable, cushioned ride, optimised rolling resistance and lower noise
- Aerodynamic sidewall design with new Nano-Black lettering

RANGE OF SIZES

- 145 Sizes
- 17 – 22 Inches
- Series 30 – 65
- Speed index: V/W/Y or (Y)*

See page 10–13 for detailed information.

ORIGINAL EQUIPMENT

Audi A3
 Fiat Tipo
 Mercedes-Benz G-Class

PERFORMANCE ADVANTAGES

- Dry Performance**
- Wet Performance**
- Comfort**
- Dynamic Response**
- Low Noise**






*over 300 km/h

AZENIS FK520

CAR AND SUV SUMMER TYRES






Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 30								
245/30R19	89Y XL	✓						To be announced ¹ MFS
255/30ZR19	91(Y) XL	✓						D A A 70 MFS
285/30ZR19	98(Y) XL	✓						C A A 70 MFS
235/30ZR20	88(Y) XL	✓						D A B 70 MFS
245/30ZR20	90(Y) XL	✓						D A B 70 MFS
255/30ZR20	92(Y) XL	✓						C A A 70 MFS
265/30ZR20	94(Y) XL	✓						C A A 70 MFS
275/30ZR20	97(Y) XL	✓						C A A 70 MFS
285/30ZR20	99(Y) XL	✓						C A A 70 MFS
295/30ZR20	101(Y) XL	✓						C A A 70 MFS
305/30ZR20	103(Y) XL	✓						C A A 71 MFS
275/30ZR21	98(Y) XL	✓						C A B 71 MFS
285/30R21	100Y XL	✓						C A A 71 MFS
305/30ZR21	104(Y) XL	✓						C A A 71 MFS
315/30ZR21	105(Y) XL	✓						C A A 71 MFS
325/30R21	108Y XL		✓					C A A 71 MFS
315/30R22	107Y XL		✓					To be announced ¹ MFS
SERIES 35								
215/35R18	84Y XL	✓						To be announced ¹ MFS
225/35R18	87Y XL	✓						D A B 70 MFS
245/35R18	92Y XL	✓						D A B 70 MFS
255/35R18	94Y XL	✓						C A A 70 MFS
265/35ZR18	97(Y) XL	✓						C A A 70 MFS
215/35R19	85Y XL	✓						To be announced ¹ MFS
225/35ZR19	88(Y) XL	✓						D A B 70 MFS
235/35ZR19	91(Y) XL	✓						C A B 70 MFS
245/35ZR19	93(Y) XL	✓						D A B 70 MFS
255/35ZR19	96(Y) XL	✓						C A A 70 MFS
265/35ZR19	98(Y) XL	✓						C A A 70 MFS
275/35ZR19	100(Y) XL	✓						C A A 70 MFS
285/35ZR19	103Y XL	✓						To be announced ¹ MFS
225/35ZR20	90(Y) XL	✓						C A B 70 MFS
235/35ZR20	92(Y) XL	✓						C A B 71 MFS
245/35ZR20	95(Y) XL	✓						C A B 70 MFS
255/35ZR20	97(Y) XL	✓						C A A 70 MFS
265/35ZR20	99(Y) XL	✓						C A A 70 MFS
275/35ZR20	102(Y) XL	✓						C A A 70 MFS
295/35ZR20	105(Y) XL	✓						C A A 70 MFS
315/35R20	110Y XL		✓					C A A 70 MFS
245/35ZR21	96Y XL	✓						To be announced ¹ MFS
255/35ZR21	98(Y) XL	✓						C A B 71 MFS
265/35ZR21	101Y XL	✓						To be announced ¹ MFS
275/35ZR21	103(Y) XL	✓						C A B 71 MFS
285/35R21	105Y XL		✓					C A A 71 MFS
295/35R21	107Y XL		✓					C A A 70 MFS
315/35R21	111Y XL		✓					C A A 70 MFS
275/35R22	104Y XL		✓					To be announced ¹ MFS
285/35R22	106Y XL		✓					To be announced ¹ MFS
315/35R22	111Y XL		✓					To be announced ¹ MFS
325/35R22	114Y XL		✓					To be announced ¹ MFS

AZENIS FK520

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 40								
215/40R17	87Y XL	✓						D A B 70 MFS
245/40R17	95Y XL	✓						C A B 70 MFS
255/40R17	98Y XL	✓						To be announced ¹ MFS
205/40R18	86Y XL	✓						D A B 70 MFS
225/40R18	92Y XL	✓						C A B 70 MFS
225/40R18	92Y XL	✓						To be announced ¹ MFS
235/40R18	95Y XL	✓						C A B 70 MFS
245/40R18	97Y XL	✓						C A B 70 MFS
255/40R18	99Y XL	✓						C A A 70 MFS
275/40R18	103Y XL	✓						C A A 70 MFS
225/40ZR19	93(Y) XL	✓						D A B 70 MFS
235/40ZR19	96(Y) XL	✓						C A B 70 MFS
245/40ZR19	98(Y) XL	✓						C A B 70 MFS
255/40ZR19	100(Y) XL	✓						C A A 70 MFS
275/40ZR19	105(Y) XL	✓						C A A 70 MFS
225/40R20	94Y XL	✓						C A B 70 MFS
245/40ZR20	99(Y) XL	✓						C A B 70 MFS
255/40ZR20	101(Y) XL	✓						C A A 70 MFS
255/40R20	101Y XL	✓						To be announced ¹
265/40ZR20	104(Y) XL	✓						C A A 70 MFS
275/40R20	106Y XL		✓					C A A 70 MFS
285/40R20	108Y XL		✓					To be announced ¹ MFS
295/40ZR20	110(Y) XL		✓					C A A 70 MFS
305/40R20	112Y XL		✓					C A A 70 MFS
255/40R21	102Y XL		✓					C A B 71 MFS
265/40R21	105Y XL		✓					C A A 70 MFS
275/40R21	107Y XL		✓					C A A 70 MFS
285/40R21	109Y XL		✓					B A A 70 MFS
295/40R21	111Y XL		✓					C A A 71 MFS
315/40R21	115Y XL		✓					C A A 71 MFS
275/40R22	107Y XL		✓					To be announced ¹ MFS
285/40R22	110Y XL		✓					To be announced ¹ MFS
285/40R22	110Y XL		✓					To be announced ¹
SERIES 45								
205/45R17	88Y XL	✓						D A B 70 MFS
215/45R17	91Y XL	✓						D A B 70 MFS
225/45R17	91Y XL	✓						To be announced ¹ MFS
225/45R17	94V XL	✓						A A A 69 MFS, OE Fiat Tipo
225/45R17	94W XL	✓						MFS, FK520 A0: OE Audi A3
225/45R17	94Y XL	✓						C A B 70 MFS

LI = Load index SI = Speed index MFS = Rim Protection


¹Any label details that are not yet specified here can be viewed on www.falkentyre.com

or requested from your local dealer as the corresponding tyres become available.


All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

 Fuel efficiency[°]

 External rolling noise[°]

 Wet grip[°]

 Value (expressed in dB(A)) for external rolling noise[°]

[°]In accordance with EU regulation 2020/740

²The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.

AZENIS FK520

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments	
SERIES 45									
235/45R17	97Y XL	✓		C	A	B	70	MFS	
245/45R17	99Y XL	✓		C	A	B	70	MFS	
225/45R18	95Y XL	✓		C	A	B	70	MFS	
235/45R18	98Y XL	✓		C	A	B	70	MFS	
245/45R18	100Y XL		✓	C	A	B	70	MFS	
255/45R18	103Y XL	✓		C	A	A	70	MFS	
225/45ZR19	96(Y) XL	✓		C	A	B	70	MFS	
235/45ZR19	99(Y) XL	✓		C	A	B	70	MFS	
245/45ZR19	102(Y) XL	✓		C	A	B	70	MFS	
245/45R19	102Y XL	✓		To be announced ¹					
255/45R19	100V		✓	To be announced ¹					
255/45ZR19	104(Y) XL	✓		C	A	A	70	MFS	
275/45R19	108W XL	✓		C	A	A	70	MFS	
285/45R19	111Y XL	✓		C	A	A	70	MFS	
235/45R20	100Y XL	✓		C	A	B	70	MFS	
245/45R20	103Y XL	✓		C	A	B	70	MFS	
255/45R20	105Y XL	✓		C	A	A	70	MFS	
265/45R20	108Y XL	✓		B	A	A	70	MFS	
275/45R20	110Y XL	✓		C	A	A	70	MFS	
285/45R20	112Y XL	✓		C	A	A	70	MFS	
235/45R21	101Y XL	✓		C	A	B	71	MFS	
255/45ZR21	106(Y) XL	✓		C	A	B	71	MFS	
275/45R21	110Y XL	✓		C	A	B	71	MFS	
285/45R21	113Y XL	✓		B	A	A	71	MFS	
285/45R21	113Y XL	✓		To be announced ¹					
SERIES 50									
205/50R17	93Y XL	✓		C	A	B	70		
225/50R17	98Y XL	✓		C	A	B	70		
215/50R18	92W		✓	C	A	B	70		
225/50R18	99W XL	✓		C	A	B	70		
235/50R18	101Y XL	✓		C	A	B	70		
245/50R18	104Y XL	✓		C	A	B	70		
235/50R19	103W XL	✓		C	A	B	70		
255/50R19	107Y XL	✓		B	A	A	70		
265/50R19	110Y XL	✓		C	A	A	70		
235/50R20	104W XL	✓		C	A	B	70		
255/50R20	109Y XL	✓		B	A	A	70		
275/50R20	113V XL	✓		A	A	A	70	FK520 MO: OE MB G-Class	
275/50R20	113Y XL	✓		To be announced ¹					
SERIES 55									
225/55R17	101Y XL	✓		B	A	B	70		
235/55R17	103W XL	✓		C	A	B	70		
215/55R18	99W XL	✓		C	A	B	70		
225/55R18	102W XL	✓		C	A	B	70		
235/55R18	100V		✓	To be announced ¹					
235/55R18	104Y XL	✓		C	A	B	70		
255/55R18	109Y XL	✓		B	A	A	70		
225/55R19	99W	✓		C	A	B	70		
235/55R19	105Y XL	✓		B	A	B	70		

AZENIS FK520

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments	
SERIES 55									
255/55R19	111W XL	✓		B	A	A	70		
265/55R19	113Y XL	✓		To be announced ¹					
275/55R19	115V XL	✓		A	A	B	71	FK520 MO: OE MB G-Class	
235/55R20	105Y XL	✓		B	A	B	70		
SERIES 60									
225/60R17	99Y		✓	To be announced ¹					
235/60R17	102V		✓	To be announced ¹					
235/60R17	102W	✓		C	A	B	70		
235/60R18	107W XL	✓		C	A	B	70		
265/60R18	114V XL	✓		A	A	B	72	FK520 MO: OE MB G-Class	
SERIES 65									
235/65R17	108W XL	✓		C	A	B	70		

AZENIS FK510

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 25								
285/25ZR20	93(Y) XL	✓		D	A	A	71	MFS
295/25ZR20	95(Y) XL	✓		D	A	A	71	MFS
305/25ZR20	97Y XL	✓		D	A	B	73	MFS
295/25ZR21	96Y XL	✓		D	A	A	72	MFS
295/25ZR22	97Y XL	✓		D	A	A	72	MFS
SERIES 30								
295/30ZR18	98Y XL	✓		D	A	B	73	MFS
245/30ZR19	89(Y) XL	✓		D	A	A	69	MFS
265/30ZR19	93(Y) XL	✓		D	A	A	70	MFS
275/30ZR19	96(Y) XL	✓		D	A	A	70	MFS
225/30ZR20	85Y XL	✓		D	A	B	71	MFS
255/30ZR21	93(Y) XL	✓		D	A	A	70	MFS
295/30ZR21	102(Y) XL	✓		D	A	A	71	MFS
255/30ZR22	95Y XL	✓		D	A	B	72	MFS
265/30ZR22	97Y XL	✓		D	A	B	72	MFS

LI = Load index SI = Speed index MFS = Rim Protection

¹Any label details that are not yet specified here can be viewed on www.falkentyre.com or requested from your local dealer as the corresponding tyres become available.

All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

Fuel efficiency°

External rolling noise°

Wet grip°

dB Value (expressed in dB(A)) for external rolling noise°

°In accordance with EU regulation 2020/740

²The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.

AZENIS FK510

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 35								
225/35ZR17	86Y XL	✓		D	A	A	69	MFS
215/35ZR18	84Y XL	✓		D	A	B	71	MFS
275/35ZR18	99(Y) XL	✓		D	A	A	70	MFS
285/35ZR18	101(Y) XL	✓		D	A	A	71	MFS
215/35ZR19	85Y XL	✓		D	A	B	71	MFS
285/35ZR19	103(Y) XL	✓		D	A	A	71	MFS
295/35ZR19	104(Y) XL	✓		D	A	A	71	MFS
285/35ZR20	104(Y) XL	✓		C	A	A	71	MFS
245/35ZR21	96(Y) XL	✓		D	A	A	69	MFS
265/35ZR21	101(Y) XL	✓		D	A	A	70	MFS

SERIES 40

255/40ZR17	98Y XL	✓		D	A	A	70	MFS
225/40R19	93W XL	✓		To be announced ¹		MFS, FK510A A0: OE Audi A3 allstreet		
265/40ZR19	102(Y) XL	✓		C	A	A	70	MFS

SERIES 45

215/45ZR18	93Y XL	✓		D	A	A	69	MFS
225/45R18	95W XL	✓		B	A	B	71	MFS, FK510A A0: OE Audi A3 Citycarver
235/45ZR18	98(Y) XL	✓		C	A	A	69	MFS

SERIES 55

205/55R17	95W XL	✓		A	A	B	70	MFS, FK510A A0: OE Audi A3 Citycarver
205/55R17	95W XL	✓		B	A	B	70	FK510A A0: OE Audi A1 Citycarver
215/55R17	94V	✓		A	A	B	69	FK510A: OE Fiat Tipo Cross

AZENIS FK510 SUV

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 30								
285/30R22	101Y XL	✓		C	A	A	71	MFS
295/30R22	103Y XL		✓	D	A	A	70	MFS
SERIES 35								
265/35R22	102Y XL		✓	C	A	B	72	MFS
SERIES 40								
265/40R22	106Y XL		✓	C	A	B	72	MFS
SERIES 45								
295/45R20	114W XL		✓	C	A	A	70	MFS

AZENIS FK510 SUV

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 55								
235/55R18	100H		✓	B	A	B	70	FK510A SUV: OE Jeep Compass
255/55R18	105W		✓	C	A	B	72	FK510A SUV No: OE Porsche Macan
265/55R19	109Y		✓	C	A	B	70	MFS, FK510SUV M0: OE MB G-Class
255/55R20	110Y XL		✓	B	A	A	70	MFS
SERIES 60								
235/60R18	103W		✓	C	A	B	71	FK510A SUV No: OE Porsche Macan
SERIES 65								
235/65R18	106W		✓	C	A	B	70	

AZENIS FK453CC

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 50								
215/50R18	92W		✓	C	A	A	67	OE Seat Ateca, VW T-Roc

LI = Load index SI = Speed index MFS = Rim Protection

¹Any label details that are not yet specified here can be viewed on www.falkentyre.com or requested from your local dealer as the corresponding tyres become available. All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

Fuel efficiency^o

External rolling noise^o

Wet grip^o

Value (expressed in dB(A)) for external rolling noise^o

^oIn accordance with EU regulation 2020/740

²The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.

SPORTINESS & COMFORT

Advanced technology for top performance, impressive durability and peerless comfort. Safety and reliability are the top priority.



EV Tyre



NEW



e. ZIEX

Destination electric: expanding range, enhancing comfort



ZIEX ZE320

Top standards in comfort and safety



ZIEX ZE310 EORUN FXM


The latest in high performance with emergency running properties



ZIEX ZE310 EORUN

The latest in high performance

For more product details, see pages 38–41.



© DS Automobiles | William Crozes

e. ZIEX

Tailored to the needs of electric vehicles, the e. ZIEX incorporates cutting-edge technologies to minimise rolling resistance. When our development engineers designed this new addition to our family, they also focused on maximising range, lowering noise emissions and stepping up wet performance to boost safety.

FEATURES AND BENEFITS

- Tailored to all the requirements of a EV
- Extends the vehicle's range
- Simultaneously reduces energy consumption
- Ultra-low rolling resistance combined with good wet grip – squares the circle
- Incorporates various noise reduction technologies
- Contains up to 29% of sustainable and recycled raw materials
- Reduces CO₂ emissions

RANGE OF SIZES

- 29 Sizes
- 15–21 Inches
- Series 40–65
- Speed index: H/V/Y

See page 18–19 for detailed information.

ORIGINAL EQUIPMENT

Audi A6 e-tron / Q6 e-tron

PERFORMANCE ADVANTAGES

- Dry Performance
- Wet Performance
- Low rolling resistance
- Comfort
- Dynamic Response
- Low Noise





Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 40								
265/40R20	104H XL	✓						To be announced ¹ MFS, e. ZIEX R0: OE Audi A6 e-tron
265/40R20	104Y XL	✓						To be announced ¹ MFS, e. ZIEX R0: OE Audi A6 e-tron
255/40R21	102V XL		✓	A	A	B	71	MFS, Silent Core
SERIES 45								
205/45R16	87H XL	✓		B	A	B	71	MFS
205/45R17	88V XL	✓		B	A	B	71	MFS
215/45R20	95V XL	✓		A	A	B	72	MFS, Silent Core
235/45R20	100H XL		✓					To be announced ¹ MFS, e. ZIEX R0: OE Audi A6 e-tron
235/45R20	100Y XL		✓					To be announced ¹ MFS, e. ZIEX R0: OE Audi A6 e-tron
255/45R20	105V XL		✓	A	A	B	71	MFS, Silent Core
265/45R20	108V XL		✓	A	A	B	71	MFS, Silent Core
235/45R21	101V XL		✓	A	A	B	71	MFS, Silent Core
265/45R21	108V XL		✓	A	A	B	71	MFS, Silent Core
SERIES 50								
185/50R16	85H XL	✓		B	A	B	71	
215/50R18	96V XL	✓		A	A	B	71	
215/50R19	97V XL	✓		A	A	B	70	Silent Core
255/50R19	107V XL		✓	A	A	B	71	Silent Core
235/50R20	104V XL		✓	A	A	B	71	Silent Core
245/50R19	105H XL		✓					To be announced ¹ e. ZIEX R0: OE Audi A6 e-tron
SERIES 55								
185/55R15	86H XL	✓		B	A	B	71	
195/55R16	91V XL	✓		B	A	B	71	
205/55R17	95V XL	✓		A	A	B	71	
215/55R17	98V XL	✓		A	A	B	71	
215/55R18	99V XL		✓	A	A	B	72	Silent Core
205/55R19	97V XL		✓	A	A	B	71	Silent Core
225/55R19	103H XL		✓					To be announced ¹ e. ZIEX R0: OE Audi A6 e-tron
235/55R19	105V XL		✓	A	A	A	69	Silent Core
255/55R19	111H XL		✓					To be announced ¹ e. ZIEX R0: OE Audi Q6 e-tron
255/55R19	111V XL		✓	A	A	B	71	Silent Core
SERIES 60								
205/60R16	96H XL	✓		A	A	B	71	
215/60R17	100H XL		✓	A	A	B	71	
235/60R18	107V XL		✓	A	A	B	70	Silent Core
255/60R18	112H XL		✓					To be announced ¹ e. ZIEX R0: OE Audi Q6 e-tron
235/60R19	107H XL		✓					To be announced ¹ e. ZIEX R0: OE Audi Q6 e-tron
235/60R19	107V XL		✓	A	A	B	71	Silent Core



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 65								
165/65R15	85H XL	✓		B	A	B	71	
185/65R15	92H XL	✓		B	A	B	71	
215/65R16	102H XL		✓	A	A	B	71	
215/65R17	103V XL		✓	A	A	B	70	Silent Core
235/65R18	110H XL		✓					To be announced ¹ e. ZIEX R0: OE Audi Q6 e-tron

LI = Load index SI = Speed index MFS = Rim Protection
¹Any label details that are not yet specified here can be viewed on www.falkentyre.com or requested from your local dealer as the corresponding tyres become available.
 All labelling and technical information are subject to industry standard tolerances.
 We reserve the right to make technical changes. Labelling information may be subject to change.

- Fuel efficiency[°]
- Wet grip[°]
- External rolling noise[°]
- Value (expressed in dB(A)) for external rolling noise[°]

[°]In accordance with EU regulation 2020/740

²The energy efficiency classes of these products are given using the following scales:
 fuel efficiency A to E; wet grip A to E; external noise A to C.



SILENT CORE TECHNOLOGY

The engineers at Falken have developed an innovative polyurethane foam layer that minimises vibrations in the tyre interior by lining the tyre interior to audibly reduce interior noise. The foam lining is featherlight and does not impact on tyre performance in any way. It is extremely durable and lasts throughout the entire life of the tyre.

Drive-by noise is an increasing factor for customers that have become accustomed, for example, to the quieter ride of an EV.



© Stellantis Germany GmbH

ZIEX ZE320

The latest advancement in the touring class, this innovative high-performance tyre meets the highest demands. Developed for daily driving, it delivers top-level driving pleasure and ride comfort.

FEATURES AND BENEFITS

- State-of-the-art technology
- Well balanced performance combining crisp handling for sporty drivers and good rolling resistance in everyday use
- Superb traction and crisp handling on wet roads
- Aerodynamically optimised sidewall design with new premium design elements

RANGE OF SIZES

- 44 Sizes
- 15 – 18 Inches
- Series 40 – 70
- Speed index: H / V / W

See page 21 – 22 for detailed information.

ORIGINAL EQUIPMENT

Citroën C3

PERFORMANCE ADVANTAGES

- Dry Performance
- Wet Performance
- Low Noise
- Dynamic Response
- Comfort
- Fuel Efficiency



ZIEX ZE320

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV					Comments
SERIES 40								
215/40R18	89W XL	✓						To be announced ¹ MFS
225/40R18	92W XL	✓						To be announced ¹ MFS
245/40R18	97W XL	✓						To be announced ¹ MFS
SERIES 45								
205/45R16	87W XL	✓						To be announced ¹ MFS
215/45R17	91W XL	✓						To be announced ¹ MFS
225/45R17	94W XL	✓		C	A	A	68	MFS
235/45R17	97W XL	✓						To be announced ¹ MFS
215/45R18	93W XL	✓						To be announced ¹ MFS
225/45R18	95W XL	✓		C	A	A	68	MFS
245/45R18	100W XL		✓	C	A	A	68	MFS
SERIES 50								
185/50R16	85V XL	✓						To be announced ¹
205/50R17	93V XL	✓						To be announced ¹
205/50R17	93W XL	✓						To be announced ¹
225/50R17	98W XL	✓						To be announced ¹
225/50R18	95W	✓						To be announced ¹
235/50R18	101W XL		✓					To be announced ¹
SERIES 55								
185/55R16	87V XL	✓						To be announced ¹
195/55R16	91V XL	✓		C	A	A	68	
205/55R16	91V	✓		C	A	A	67	
205/55R16	94V XL	✓		C	A	A	68	
205/55R16	94V XL	✓						To be announced ¹ OE Citroën C3
205/55R16	94W XL	✓		C	A	A	68	
225/55R16	99W XL	✓						To be announced ¹
205/55R17	91W	✓		C	A	A	67	
205/55R17	95W XL	✓		B	A	A	68	
215/55R17	94V	✓		C	A	A	67	
215/55R17	98W XL	✓		C	A	A	68	
225/55R17	101W XL	✓						To be announced ¹
235/55R17	103V XL	✓						To be announced ¹
215/55R18	99V XL		✓	C	A	A	68	
225/55R18	98V		✓					To be announced ¹
235/55R18	104V XL		✓					To be announced ¹

LI = Load index SI = Speed index MFS = Rim Protection

¹Any label details that are not yet specified here can be viewed on www.falkentyre.com or requested from your local dealer as the corresponding tyres become available.

All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

Fuel efficiency*

External rolling noise*

Wet grip*

Value (expressed in dB(A)) for external rolling noise*

*In accordance with EU regulation 2020/740

²The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.

ZIEX ZE320

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 60								
195/60R15	88V	✓						To be announced ¹
195/60R16	89V	✓						To be announced ¹
205/60R16	96V XL	✓		C	A	A	68	
215/60R16	95V	✓		C	A	A	67	
215/60R16	99H XL	✓		B	A	A	68	
215/60R17	96H		✓	C	A	A	67	
215/60R17	96V		✓	C	A	A	67	
225/60R18	100H		✓					To be announced ¹
SERIES 65								
195/65R15	91H	✓						To be announced ¹
195/65R15	91V	✓						To be announced ¹
215/65R17	103V XL		✓	C	A	A	68	
SERIES 70								
215/70R16	100H		✓					To be announced ¹

ZIEX ZE310 ECORUN

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 40								
195/40R16	80V XL	✓		D	A	A	69	MFS
215/40R16	86W XL	✓		D	A	A	69	MFS
225/40R16	85W	✓		D	A	B	70	MFS
195/40R17	81W XL	✓		D	A	B	69	MFS
205/40R17	84W XL	✓		D	A	A	69	MFS
215/40R17	87W XL	✓		D	A	A	69	MFS
245/40R17	95W XL	✓		C	A	A	69	MFS
205/40R18	86W XL	✓		D	A	A	69	MFS
215/40R18	89W XL	✓		D	A	A	69	MFS, OE Toyota Yaris GR
225/40R18	92W XL	✓		D	A	A	69	MFS
235/40R18	95W XL	✓		C	A	A	69	MFS
245/40R18	97W XL	✓		C	A	B	70	MFS
SERIES 45								
195/45R14	77V	✓		D	A	B	70	MFS
195/45R15	78V	✓		D	A	B	70	MFS
195/45R16	84V XL	✓		D	A	A	69	MFS
205/45R16	87W XL	✓		D	A	A	69	MFS
215/45R16	90V XL	✓		D	A	A	69	MFS
195/45R17	85W XL	✓		D	A	A	69	MFS
205/45R17	88W XL	✓		D	A	A	69	MFS
215/45R17	91W XL	✓		D	A	A	69	MFS
225/45R17	94W XL	✓		D	A	A	69	MFS
235/45R17	97W XL	✓		D	A	A	69	MFS

ZIEX ZE310 ECORUN

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 45								
215/45R18	93W XL	✓		C	A	B	69	MFS
225/45R18	95W XL	✓		C	A	A	69	MFS
235/45R18	98W XL	✓		C	A	A	69	MFS
245/45R18	100W XL		✓	C	A	B	70	MFS
SERIES 50								
195/50R15	82V		✓	D	A	B	69	MFS
205/50R15	86V		✓	D	A	B	70	MFS
185/50R16	81V		✓	D	A	B	70	MFS
195/50R16	88V XL	✓		D	A	A	69	MFS
205/50R16	87W	✓		D	A	A	67	MFS
225/50R16	96W XL	✓		C	A	A	69	MFS
205/50R17	93V XL	✓		D	A	A	69	MFS
205/50R17	93W XL	✓		D	A	A	69	MFS
215/50R17	95W XL	✓		D	A	A	69	MFS
225/50R17	98W XL	✓		C	A	A	69	MFS
235/50R17	96W		✓	D	A	B	70	MFS
215/50R18	92V		✓	B	B	A	68	ZE310AEC; OE Toyota Yaris Cross
225/50R18	95W		✓	C	A	B	70	MFS
235/50R18	101W XL		✓	D	A	A	69	MFS
SERIES 55								
185/55R14	80H		✓	C	A	A	67	
185/55R15	86V XL	✓		D	A	B	69	
195/55R15	85H	✓		C	A	A	67	
195/55R15	85V	✓		C	A	A	67	
205/55R15	88V	✓		C	A	A	67	
185/55R16	83H	✓		D	A	A	67	
185/55R16	83V	✓		D	A	A	67	
185/55R16	87V XL	✓		D	A	B	69	
195/55R16	87H	✓		D	A	A	67	
195/55R16	91V XL	✓		D	A	A	69	
205/55R16	91V	✓		C	A	A	67	
205/55R16	91V	✓		A	A	B	71	ZE310AEC A0; OE Audi A3, Seat Leon, VW Golf
205/55R16	91V		✓					To be announced ¹
205/55R16	94V XL	✓		C	A	A	69	ZE310EC A0; OE Audi A3
205/55R16	94V XL	✓		A	B	B	69	ZE310AEC A0; OE Audi A3
205/55R16	94W XL	✓		C	A	A	69	
215/55R16	93V	✓		C	A	A	67	
215/55R16	97V XL	✓		C	A	A	69	
215/55R16	97W XL	✓		C	A	A	69	

LI = Load index SI = Speed index MFS = Rim Protection

¹Any label details that are not yet specified here can be viewed on www.falkentyre.com or requested from your local dealer as the corresponding tyres become available. All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

Fuel efficiency°

External rolling noise°

Wet grip°

Value (expressed in dB(A)) for external rolling noise°

°In accordance with EU regulation 2020/740

²The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.

ZIEX ZE310 ECORUN

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 55								
225/55R16	99V XL	✓		C	A	A	69	
225/55R16	99W XL	✓		C	A	A	69	
205/55R17	95W XL	✓		C	A	A	69	
215/55R17	94V	✓		C	A	A	67	
215/55R17	98W XL	✓		C	A	A	69	
225/55R17	101V XL	✓		C	A	A	69	
225/55R17	101W XL	✓		C	A	A	69	
235/55R17	103H XL	✓		A	A	A	69	ZE310AEC: OE VW T7
235/55R17	103V XL	✓		C	A	A	69	
215/55R18	95V		✓	C	A	A	67	
215/55R18	99V XL		✓	C	A	A	69	
225/55R18	98V		✓	B	A	B	69	MFS, OE Toyota C-HR
205/55R19	97V XL	✓		C	A	A	69	
SERIES 60								
185/60R15	88H XL	✓		C	A	B	69	
195/60R15	88H	✓		D	A	A	67	
195/60R15	88V	✓		C	A	A	67	
205/60R15	91V	✓		C	A	A	67	
225/60R15	96W	✓		C	A	A	67	
195/60R16	89V	✓		C	A	A	67	
205/60R16	96V XL	✓		C	A	A	69	
205/60R16	96W XL	✓		C	A	A	69	
215/60R16	95V	✓		D	A	A	67	
215/60R16	95V	✓		A	A	B	69	ZE310AEC: OE VW T-Roc
215/60R16	99H XL	✓		C	A	A	69	
225/60R16	98W		✓	D	A	A	67	
225/60R16	102V XL	✓		C	A	A	69	
235/60R16	100W	✓		C	A	B	69	
215/60R17	96H	✓		C	A	A	67	
215/60R17	96V	✓		C	A	A	67	
225/60R17	99V	✓		C	A	A	67	
235/60R17	102V	✓		C	A	B	70	
225/60R18	100H	✓		C	A	A	67	
225/60R18	104H XL	✓		C	A	A	69	
225/60R18	104V XL	✓		C	A	A	69	
235/60R18	103H	✓		B	B	B	69	ZE310AEC: OE Nissan X-Trail
SERIES 65								
185/65R14	86H	✓		C	A	A	67	
165/65R15	81H	✓		D	A	A	67	
195/65R15	91V	✓		C	A	A	67	
205/65R15	94V	✓		C	A	A	67	
205/65R15	99H XL	✓		C	A	A	69	
215/65R15	96H	✓		C	A	A	67	
195/65R16	92V	✓		D	A	A	67	
205/65R16	95H	✓		A	B	B	69	ZE010B: OE Toyota Yaris Cross
215/65R16	102H XL	✓		A	A	B	71	ZE310AEC: OE VW T7
215/65R17	99V	✓		C	A	A	67	
215/65R17	99V	✓		A	A	B	69	ZE310AEC A0: OE Audi Q3
215/65R17	103H XL	✓		C	A	A	69	

ZIEX ZE310 ECORUN

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 65								
225/65R17	102V		✓	C	A	A	67	
225/65R17	106H XL		✓	C	A	A	69	
SERIES 70								
195/70R14	91H		✓	D	A	A	67	
205/70R14	98H XL	✓		D	A	A	69	
205/70R16	97H		✓	D	A	A	67	
215/70R16	100H		✓	D	A	A	67	
235/70R17	109V XL		✓	C	A	A	69	

ZIEX ZE310 ECORUN FEXM

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 35								
245/35R18	92Y XL	✓		D	A	B	71	MFS
255/35R18	90Y	✓		D	A	B	70	MFS
SERIES 40								
255/40R17	94W	✓		D	A	B	70	MFS
225/40R18	92Y XL	✓		D	A	B	70	MFS
SERIES 45								
205/45R17	88W XL	✓		D	A	B	70	MFS
225/45R17	91W	✓		D	A	B	69	MFS
235/45R19	95V	✓		D	A	B	69	MFS
SERIES 50								
205/50R17	89V	✓		D	A	B	69	MFS
205/50R17	89W	✓		D	A	B	69	MFS
225/50R17	98W XL	✓		D	A	B	70	MFS
225/50R18	95W	✓		D	A	B	69	MFS
SERIES 55								
195/55R16	87W	✓		D	A	B	69	
205/55R16	91W	✓		D	A	B	69	
205/55R17	91W	✓		D	A	B	69	
225/55R17	97Y	✓		D	A	B	69	
SERIES 60								
205/60R16	96W XL	✓		D	A	B	70	

LI = Load index SI = Speed index MFS = Rim Protection

All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

Fuel efficiency*

External rolling noise*

Wet grip*

Value (expressed in dB(A)) for external rolling noise*




*In accordance with EU regulation 2020/740

*The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.

ZIEX ZE914 ECORUN

CAR AND SUV SUMMER TYRES





Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 40								
225/40R18	92W XL	✓		C	B	A	68	MFS, ZE914B; OE Toyota Corolla
SERIES 45								
225/45R17	91W	✓		C	B	A	67	MFS, ZE914B; OE Toyota Corolla
225/45R18	95W XL	✓		C	B	B	71	MFS, OE Honda HR-V
SERIES 55								
195/55R16	91V XL	✓		C	A	A	69	ZE914AEC; OE Seat Ibiza, VW Polo
215/55R17	94V	✓		C	A	B	70	ZE914AEC; OE Seat Ateca, VW T-Roc
215/55R17	94W	✓		C	A	A	67	ZE914AEC; OE Skoda Superb
225/55R17	97V	✓		C	A	B	70	ZE914AEC; OE Seat Ateca, Skoda Karoq
SERIES 60								
205/60R16	92V	✓		C	A	A	68	ZE914AEC; OE VW T-Roc
205/60R16	96V XL	✓		C	A	A	67	ZE914AEC; OE VW Touran
215/60R16	95V	✓		B	A	A	67	ZE914AEC; OE VW Passat
215/60R16	95V	✓		C	A	B	69	ZE914A; OE Skoda Superb
215/60R16	99V XL	✓		B	B	B	70	ZE914AEC; OE VW T-Roc
225/60R16	98V	✓		C	A	B	69	ZE914AEC; OE Seat Ateca, Skoda Karoq
225/60R17	99H	✓		C	A	B	70	ZE914AEC; OE Jeep Compass
SERIES 65								
215/65R17	99V	✓		B	A	B	70	ZE914AEC; OE VW Tiguan
215/65R17	99V	✓		B	A	B	70	ZE914AEC A0; OE Audi Q3


LI = Load index SI = Speed index MFS = Rim Protection


All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

 Fuel efficiency°

 External rolling noise°

 Wet grip°

 Value (expressed in dB(A)) for external rolling noise°

°In accordance with EU regulation 2020/740

²The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.



DURABLE & COMFORTABLE

The ideal choice for compact and midsize cars, offering extra mileage and durability alongside outstanding value for money.



SINCERA SN110


For cost-conscious compact and midsize car drivers



SINCERA SN832 ECORUN

Engineered for safety, comfort and long journeys

For more product details, see pages 38–41.



SINCERA SN110

The ideal choice for cost-conscious compact and midsize car drivers. Equipped with Advanced 4D-Nano Design technology and ECORUN features, the SINCERA SN110 is engineered for safety, reliability and comfort.

FEATURES AND BENEFITS

- Aerodynamic sidewall and optimised block geometry for low fuel consumption and superb comfort
- Closed-in shoulder grooves for direct dry handling response and silent cruising
- Hemispherical rib design for improved durability and mileage
- Advanced 4D-Nano Design technology for better wet performance, enhanced wear life and low rolling resistance
- Proven economical overall

RANGE OF SIZES

- 53 Sizes
- 14–18 Inches
- Series 50–70
- Speed index: T/H/V

See page 30–31 for detailed information.

ORIGINAL EQUIPMENT

Toyota Aygo X

PERFORMANCE ADVANTAGES

- Wet Performance**
- Comfort**
- Tread Life**
- Fuel Efficiency**
- Low Noise**
- Dry Performance**



SINCERA SN110

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 50								
175/50R15	75H	✓		D	A	B	69	
195/50R15	82H	✓		D	A	B	69	
185/50R16	81H	✓		D	A	B	69	
SERIES 55								
175/55R15	77T	✓		D	A	B	69	
185/55R15	82H	✓		D	A	B	69	
195/55R15	85H	✓		D	A	B	69	
195/55R16	91H	XL	✓	C	A	A	69	
205/55R16	91H		✓	C	A	B	69	
205/55R16	94H	XL	✓	C	A	A	69	
SERIES 60								
165/60R14	75H		✓	D	A	B	69	
165/60R14	79T	XL	✓	C	A	B	69	
185/60R14	82T		✓	C	A	B	69	
185/60R14	82H		✓	C	A	B	69	
155/60R15	74T		✓	D	A	B	69	
165/60R15	77T		✓	D	A	B	69	
165/60R15	77H		✓	D	A	B	69	
175/60R15	81H		✓	D	A	B	69	
185/60R15	84T		✓	C	A	B	69	
185/60R15	84H		✓	C	A	B	69	
185/60R15	88H	XL	✓	C	A	B	69	
195/60R15	88H		✓	C	A	B	69	
205/60R15	91H		✓	C	A	B	69	
175/60R16	82H		✓	C	A	B	69	
185/60R16	86H		✓	C	A	B	69	
195/60R16	89H		✓	C	A	B	69	
205/60R16	92H		✓	C	A	B	69	
205/60R16	96H	XL	✓	B	A	A	69	
215/60R17	96V		✓	To be announced ¹				
175/60R18	85H		✓	A	B	A	66	SN110A: OE Toyota Aygo X
SERIES 65								
155/65R14	75T		✓	D	A	B	69	
165/65R14	79T		✓	D	A	B	70	
175/65R14	82T		✓	C	A	B	69	
175/65R14	86T	XL	✓	C	A	B	69	
185/65R14	86T		✓	C	A	B	69	
185/65R14	86H		✓	C	A	B	69	

SINCERA SN110

CAR AND SUV SUMMER TYRES



Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 65								
145/65R15	72T		✓	D	A	B	69	
165/65R15	81T		✓	D	A	B	69	
175/65R15	84T		✓	C	A	B	69	
175/65R15	84H		✓	D	A	B	69	
185/65R15	88T		✓	C	A	B	69	
185/65R15	88H		✓	C	A	B	69	
185/65R15	92T	XL	✓	C	A	B	70	
195/65R15	91T		✓	C	A	B	70	
195/65R15	91H		✓	C	A	B	70	
195/65R15	95T	XL	✓	C	A	A	69	
215/65R16	98H		✓	C	A	B	70	
215/65R16	98H		✓	To be announced ¹				
175/65R17	87H		✓	A	B	A	66	SN110A: OE Toyota Aygo X
SERIES 70								
165/70R14	81T		✓	D	A	B	69	
165/70R14	85T	XL	✓	C	A	B	69	
175/70R14	84T		✓	C	A	B	69	
175/70R14	88T	XL	✓	C	A	B	69	
185/70R14	88H		✓	C	A	B	69	

LI = Load index SI = Speed index

¹Any label details that are not yet specified here can be viewed on www.falkentyre.com or requested from your local dealer as the corresponding tyres become available.

All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

Fuel efficiency^o

External rolling noise^o

Wet grip^o

Value (expressed in dB(A)) for external rolling noise^o

^oIn accordance with EU regulation 2020/740

²The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.




ECORUN TECHNOLOGY

Falken tyres with the ECORUN technology feature reduced rolling resistance. By reducing energy loss through friction, they save on fuel consumption – good for the environment, and good for your budget. As an example, you can see our **SINCERA SN110**.

SINCERA SN832 ECORUN

CAR AND SUV SUMMER TYRES






Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 55								
205/55R16	91V	✓		B	B	A	67	OE N832B: OE Toyota Corolla
SERIES 65								
185/65R15	88H	✓		C	A	B	68	OE N832AEC: OE Seat Ibiza, VW Polo
SERIES 70								
165/70R14	81T	✓		B	B	B	68	OE N832AEC: OE Seat Mii, Skoda Citigo, VW Up
185/70R14	88H	✓		C	A	B	69	OE N832AEC: OE Seat Ibiza, VW Polo

FK090

T-SPARE TYRES




Tyre sizes	LI / SI	CAR	SUV				dB	Comments
SERIES 70								
T105/70D14	83M	✓		Excluded from label			OE Daihatsu Sirion	
T115/70D14	88M	✓		Excluded from label			OE Daihatsu Sirion	
T125/70D16	96M	✓		Excluded from label			OE Toyota Yaris	
T125/70D17	98M	✓		Excluded from label			OE Toyota Corolla / Prius, Lexus CT200 / IS	
SERIES 80								
T145/80D17	107M	✓		Excluded from label			OE Subaru Forester	
T155/80D17	100M	✓		Excluded from label			OE Mitsubishi Eclipse Cross / Outlander	
T155/80D17	100M	✓		Excluded from label			OE Nissan X-Trail	
SERIES 90								
T125/90D16	98M	✓		Excluded from label			OE Nissan Leaf	
T145/90D16	106M	✓		Excluded from label			OE Toyota Yaris Cross	
T155/90D16	110M	✓		Excluded from label			OE Mitsubishi Eclipse Cross	
T165/90D17	105M	✓		Excluded from label			OE Nissan X-Trail	
T165/90D18	107M	✓		Excluded from label			OE Toyota RAV4	


LI = Load index SI = Speed index

¹Any label details that are not yet specified here can be viewed on www.falkentyre.com or requested from your local dealer as the corresponding tyres become available.

All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

 Fuel efficiency^o

 External rolling noise^o

 Wet grip^o

 Value (expressed in dB(A)) for external rolling noise^o

^oIn accordance with EU regulation 2020/740

²The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.



FALKEN



LINAM VAN01

Our latest generation of summer tyres for light commercial vehicles and vans. The LINAM VAN01 offers superb durability and safety, combined with excellent mileage in all applications and outstanding performance on wet roads.

FEATURES AND BENEFITS

- Enhanced durability provided by the sidewall kerb guard
- Even wear life via improved pattern stiffness and flatter tread profile
- Longer-lasting performance throughout the life of the tyre
- Extended road contact area thanks to 4D-Nano Design technology

RANGE OF SIZES

- 37 Sizes
- 12 – 17 Inches
- Series 55 – 82
- Speed index: R/S/T/H

See page 35 for detailed information.

PERFORMANCE ADVANTAGES

-  **Dry Performance**
-  **Wet Performance**
-  **Tread Life**
-  **Fuel Efficiency**

ORIGINAL EQUIPMENT





Volkswagen Crafter



LINAM VAN01

LIGHT TRUCK SUMMER TYRES




Tyre sizes	LI / SI					Comments
SERIES 55						
225/55R17C	109/107H	B	A	B	71	
SERIES 60						
195/60R16C	99/97H	C	A	B	72	
215/60R16C	103/101T	C	A	B	72	
225/60R16C	105/103T	C	A	B	72	
215/60R17C	109/107T	B	A	B	72	
225/60R17C	107/105H	C	A	B	72	
235/60R17C	117/115S	C	A	B	72	
SERIES 65						
175/65R14C	90/88T	C	A	B	72	
205/65R15C	102/100T	C	A	B	72	
215/65R15C	104/102T	C	A	B	72	
195/65R16C	104/102T	C	A	B	72	
205/65R16C	107/105T	C	A	B	72	
215/65R16C	109/107T	C	A	B	72	
225/65R16C	112/110T	C	A	B	72	
235/65R16C	115/113R	B	A	B	72	
235/65R16C	115/113R	B	A	B	71	VAN01A: OE VW Crafter
235/65R16C	121/119R	B	A	B	72	
SERIES 70						
165/70R14C	89/87R	C	A	B	72	
175/70R14C	95/93R	C	A	B	72	
195/70R15C	104/102S	C	A	B	72	
205/70R15C	106/104R	C	A	B	72	
215/70R15C	109/107S	C	A	B	72	
225/70R15C	112/110S	C	A	B	72	
SERIES 75						
185/75R16C	104/102R	C	A	B	72	
195/75R16C	107/105T	C	A	B	72	
195/75R16C	110/108T	C	A	B	72	
205/75R16C	113/111R	B	A	B	72	
205/75R16C	113/111R	B	A	A	69	VAN01A: OE VW Crafter
215/75R16C	116/114R	B	A	B	72	
225/75R16C	118/116R	C	A	B	72	
225/75R16C	121/120R	C	A	B	72	
SERIES 82						
155R12C	88/86R	D	D	B	72	
155R13C	85/83R	D	D	B	72	
165R13C	94/92R	D	D	B	72	
165R14C	97/95R	D	D	B	72	
185R14C	102/100R	C	A	B	72	
195R14C	106/104R	C	A	B	72	


LI = Load index SI = Speed index


All labelling and technical information are subject to industry standard tolerances.

We reserve the right to make technical changes. Labelling information may be subject to change.

 Fuel efficiency[°]

 External rolling noise[°]

 Wet grip[°]

 dB Value (expressed in dB(A)) for external rolling noise[°]

[°]In accordance with EU regulation 2020/740

[°]The energy efficiency classes of these products are given using the following scales: fuel efficiency A to E; wet grip A to E; external noise A to C.

SUSTAINABILITY

Falken has always carved out its position as an **eco-friendly tyre manufacturer**, and will continue to step up its attention to environmental protection. Falken-manufactured tyres have been made from **97 per cent non-fossil materials** since 2008.

TOWANOWA CONCEPT - TWO RINGS TO SUPPORT A SUSTAINABLE FUTURE FOR MOBILITY SOCIETY

The word **TOWANOWA** brings together the two Japanese terms **TOWA**, meaning “**everlasting**”, and **WA**, meaning “**ring**”.

The TOWANOWA concept aims at facilitating the circulation and **effective utilisation of limited resources**, building on **Big Data** gathered by technologies such as SENSING CORE.

OUR TARGETS FOR THE COMING YEARS

With **intelligent designs** and **technologies**, **resource-saving production** and **durable products**, Falken and Sumitomo Rubber Industries are constantly setting standards in the big topic of sustainability.

Our target specifications are:

TYRE WEIGHT REDUCTION




20%
by 2027

CO₂ REDUCTION



10%
by 2030
(vs 2021)

SUSTAINABILITY MATERIAL CONTENT



Falken already **manufactures its products using numerous technologies** that lead to **more efficient utilisation** and thus to **reduced emissions**. You can identify these technologies by the **leaf symbol** on the following pages.



END-OF-LIFE TYRE MANAGEMENT AT FALKEN & SUMITOMO RUBBER INDUSTRIES

The materials contained in worn tyres are a **valuable raw material**. How can these raw materials be utilised in the most **efficient** and **environmentally conscious** way possible?



Cement production and other raw materials for construction



Processing into granulate as a raw material for **new products** such as **planters, shock absorption for playgrounds etc.**



Pyrolysis to extract the **steel, carbon black** and **pyrolytic oil** contained in the tyre



Production of **floor mats, insulation mats for in- and outdoor, shock absorbing mats, sports mats** etc.



As an **energy source** in **thermal utilisation**



Recycling and **melting down** of the **steel** contained



Utilisation abroad (2nd usage where restrictions are lower than in EU) for dock fenders or similar



Raw materials in the automotive sector

WANT MORE?

You can find out more about our goals and methods for achieving even more sustainable products on our website. **Simply scan the codes below:**



<https://www.falkentyre.com/en/company/sustainability>



<https://www.falkentyre.com/en/press>

PRODUCT DETAILS - HIGHLIGHTS

PRODUCTION AND DEVELOPMENT

Behind Falken tyres is a powerful combination of cutting-edge technologies in tyre development and state-of-the-art development environments. This wealth of expertise enables Falken to supply premium quality products with a price/performance ratio that is almost unparalleled on the market, without compromising on ride comfort and safety.



ADVANCED 4D-NANO DESIGN

Advanced 4D-Nano Design technology is the result of pioneering research and findings in molecular structures. It enables savings in fuel consumption of up to five per cent to be achieved compared to conventional tyre models, extends durability and mileage and significantly improves the tyre's performance in wet conditions.

ZIEX ZE310 ECORUN FEXM See page 25 **ZIEX ZE310 ECORUN** See page 22 – 25 **e. ZIEX** See page 17 – 19

ZIEX ZE320 See page 20 – 22 **AZENIS RS820** See page 6 – 8 **AZENIS FK520** See page 9 – 13 **SINCERA SN110** See page 29 – 32



NEO-T01 PRODUCTION PROCESS

In NEO-T01, each tyre is built around a precision-moulded metal core known as a 'former' in the exact shape and size of the finished tyre's interior. What makes this method so special is that the tyres are manufactured using a 'ribbon' method, which wraps

the tread and sidewall material around the former to extremely high-precision specifications without any overlapping or joins, and without the need for additional manufacturing tolerances. Please note that this process only applies to Runflat and FEXM tyres.

AZENIS FK520 FEXM See page 8 **ZIEX ZE310 ECORUN** See page 22 – 25



4D-NANO DESIGN - FALKEN'S INNOVATIVE COMPOUND DEVELOPMENT PROGRAM

Pioneering 4D-Nano Design technology enables our engineers to simulate the complex interactions of tyre compound components at the nanoscale.

AZENIS FK510 See page 13 – 14 **AZENIS FK510 SUV** See page 14 – 15 **LINAM VAN01** See page 34 – 35



HYDROGEN ENERGY

Tyres with this mark are manufactured using hydrogen-powered boilers. This replaces fossil-fuel boilers often used in vulcanisation (vulcanisation processes generally use fossil fuels), and eliminates carbon emissions.

AZENIS FK520 FEXM
See page 8



SUSTAINABLE MATERIALS

The development focuses on minimising carbon dioxide, which is known to be an important greenhouse gas. Further details on the use of sustainable materials will follow.

ZIEX ZE320
See page 20 – 22

PRODUCT-FEATURE

Special product features enhance the safety of Falken tyres still further – such as unique tread design that maximises grip in snowy and icy conditions, as well as run-flat properties.



ADAPTIVE CONSTANT PRESSURE - FOR A MORE UNIFORM PRESSURE DISTRIBUTION

This ground-breaking tread concept results in a perfect tyre footprint structure by evenly distributing pressure throughout the contact patch. This optimised tyre-road footprint delivers enhanced grip and driving dynamics.

ZIEX ZE310 ECORUN See page 22 – 25 **ZIEX ZE310 ECORUN FEXM** See page 25 **AZENIS FK510** See page 13 – 14

AZENIS FK510 SUV See page 14 – 15 **LINAM VAN01** See page 34 – 35



NANO BLACK

The sophisticated concave-convex design reduces light reflection and increases blackness.

AZENIS RS820 See page 6 – 8 **AZENIS FK520** See page 9 – 13 **e. ZIEX** See page 17 – 19

PRODUCT DETAILS - HIGHLIGHTS

PRODUCT-FEATURE



LIGHT WEIGHT CONSTRUCTION

Light weight delivers lower rolling resistance plus improved handling stability.

AZENIS RS820 See page 6 – 8
AZENIS FK520 See page 9 – 13
e. ZIEX See page 17 – 19
ZIEX ZE320 See page 20 – 22
LINAM VAN01 See page 34 – 35



OPTIMISED CONTACT PATCH

The optimised contact patch helps to improve life performance and reduce uneven wear. It suppresses increased ground pressure at rib ends and maintains uniform ground pressure within each rib.

AZENIS RS820 See page 6 – 8
AZENIS FK520 See page 9 – 13
e. ZIEX See page 17 – 19
SINCERA SN110 See page 29 – 32
ZIEX ZE310 ECORUN See page 22 – 25
ZIEX ZE320 See page 20 – 22



CHAOTIC ARRAY

Random tread pattern over one pitch length reduces pattern noise during driving.

AZENIS RS820 See page 6 – 8
AZENIS FK520 See page 9 – 13
e. ZIEX See page 17 – 19
SINCERA SN110 See page 29 – 32
ZIEX ZE310 ECORUN See page 22 – 25
ZIEX ZE320 See page 20 – 22
LINAM VAN01 See page 34 – 35



AERO DESIGN

The optimised tyre profile and smoother concave/convex tyre surface control air flow during driving and reduce driving resistance.

AZENIS RS820 See page 6 – 8
AZENIS FK520 See page 9 – 13
e. ZIEX See page 17 – 19
ZIEX ZE320 See page 20 – 22



ROUND PROFILE

Uniform tyre deflection mitigates localised tyre deformation stress, and thus minimises unnecessary fuel consumption when the tyre is under load. This reduces rolling resistance and improves handling stability and ride comfort.

AZENIS RS820 See page 6 – 8
AZENIS FK520 See page 9 – 13
e. ZIEX See page 17 – 19
SINCERA SN110 See page 29 – 32
ZIEX ZE310 ECORUN See page 22 – 25
ZIEX ZE320 See page 20 – 22
LINAM VAN01 See page 34 – 35



HYBRID BAND

Cords of varying stiffness are combined to achieve both suppleness and high rigidity. Vibrations transmitted from the road surface are suppressed, reducing road noise. And unnecessary tread movement is minimised, which improves durability at high speeds, handling stability and wear resistance.

AZENIS RS820 See page 6 – 8
AZENIS FK520 See page 9 – 13



EXTENDED MOBILITY TECHNOLOGY (FEXM TECHNOLOGY)

FEXM

FEXM tyres have reinforced sidewalls that reduce deformation if the tyre sustains damage or a puncture; they can thus continue to be driven for at least a further 80 km at a maximum speed of 80 km/h.

ZIEX ZE310 ECORUN FEXM See page 25
AZENIS FK520 FEXM See page 8



ECORUN TECHNOLOGY

Falken tyres with the ECORUN label feature reduced rolling resistance. By reducing energy loss through friction, they save on fuel consumption – good for the environment, and good for your budget.

ZIEX ZE310 ECORUN See page 22 – 25
ZIEX ZE310 ECORUN FEXM See page 25
SINCERA SN110 See page 29 – 32




SILENT CORE

A special foam lining absorbs sound and reduces air vibrations inside the tyre to minimise road noise.

e. ZIEX See page 17 – 19

EU LABELLING


TYRE LABEL REGULATION 2020/740 – CONTENTS



Tyre labels shown as example only

- 1 QR code (direct access to public section of EU product database EPREL)
- 2 Trade name or trademark of the supplier
- 3 Tyre type identifier / article number
- 4 Tyre size, load capacity and speed index
- 5 Tyre class
- 6 Fuel efficiency pictogram, scale and performance class
- 7 Wet grip pictogram, scale and performance class
- 8 External rolling noise pictogram, value (expressed in dB(A) and rounded to the nearest integer) and performance class
- 9 Snow grip pictogram
- 10 Ice grip pictogram
- 11 The serial number of this Regulation "2020/740"


TYRE LABEL CATEGORIES



Rolling resistance

Rolling resistance denotes the force needed to keep the tyre rolling. Rolling resistance information is shown at the top left of the EU tyre label. The label


displays a pictogram of a tyre with a fuel pump and the tyre rating (A to E).



Wet grip

The wet grip label shows the tyre's grip during braking in wet conditions. The information is shown at the top right of the

EU tyre label. The label displays a pictogram of a tyre and a water droplet and the tyre rating (A to E).



Noise emission

The noise emissions of the tyre are shown in decibels.

Tyres with A rating fall below the limit by 3 dB(A) or more; B-rated tyres fulfil the limits defined for the future. C-rated tyres are below the current permissible limits.



Snow & ice grip

Tyres that are suitable for extreme winter conditions display the three peak mountain snowflake pictogram on the sidewall.

Nordic winter tyres for icy surfaces have an ice pictogram (C1 class vehicles only).


For more information on the labelling regulations for tyres, go to:

<https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A32020R0740>

© Falken Tyre Europe GmbH, As of: January 2025 – subject to change, errors and omissions excepted.

ORIGINAL EQUIPMENT

Original Equipment – Designed for your car! Falken is constantly working for the perfect interaction between vehicle and tyre with leading vehicle manufacturers. Each car manufacturer defines a specific personality for each of its vehicle models while Falken provides the matching tyres for the vehicle. Find out about some of our current and past OE projects:



Our OE-Portfolio for the new G-Class model:

- WILDPEAK A/T AT3WA MO¹ in size 265/60R18
- AZENIS FK510 SUV MO¹ in size 265/55R19
- AZENIS FK520 MO¹ in size 265/60R18, 275/55R19 and 275/50R20
- EUROALL SEASON AS210A MO¹ in size 265/60R18
- EUROWINTER HS02 PRO MO¹ in size 265/60R18, 275/55R19 and 275/50R20

© Mercedes-Benz AG

OEM PARTNERSHIPS

Major car brands rely on the quality of Falken Tyres. But Falken's extensive range of tyre models and sizes is also available to car dealers – a further sales channel supplying Falken high-performance tyres for cars, light vans, SUVs and 4x4s.*



¹MO = Mercedes Original *Not available in all countries.

FALKEN TYRE EUROPE GMBH


Berliner Straße 74-76
63065 Offenbach am Main | Germany

T. +49(0)69 247 52 52-0

F. +49(0)69 247 52 52-12

E. info@falkentyre.com

 facebook.com/falken

 twitter.com/FalkenTyres

 [falkentyres](https://instagram.com/falkentyres)

 youtube.com/falkentyreeurope

 falkentyre.com

CUSTOMER SERVICE ORDER HOTLINE

T. +49(0)69 247 52 52-52

F. +49(0)69 247 52 52-8852

E. customerservice@falkentyre.com

TECHNICAL SERVICE

T. +49(0)69 247 52 52-80

F. +49(0)69 247 52 52-14

E. tech.service@falkentyre.com